



# ARCHITECTURAL SURFACES

CARE & MAINTENANCE

## ROUTINE MAINTENANCE

<b>VIVIDGLASS</b>	VividGlass & CastGlass surfaces can be maintained using standard commercial, non-streaking cleaners and polishes formulated for use on glass.
<b>CASTGLASS</b>	
<b>STAINLESS STEEL</b>	<p>For routine cleaning of Stainless Steel, we recommend using Invisible Glass Cleaner and a clean microfiber cloth to wipe the surface. Fingerprints, smudges and more persistent dirt can be removed by using a 1:10 dilution of Dawn® detergent and warm water. After cleaning, the surface should be rinsed with water to prevent streaking and dried with a clean microfiber towel. For tea staining on Stainless Steel, we recommend Krud Kutter® "Must for Rust".</p> <p>The bright appearance of Stainless Steel can be maintained by occasional polishing with a soft cloth dipped in common household white vinegar. Commercial products specifically formulated for Stainless Steel such as Weiman® Stainless Steel Spray or Magic Stainless Steel Cleaner may also be used.</p> <p><b>WITH CERAMILOC+</b> Stainless Steel with Ceramiloc+ treatment should be maintained by wiping the surface with a clean microfiber cloth and water.</p>
<b>FUSED METAL</b>	<p>For routine cleaning of Fused Metal, we recommend using Invisible Glass Cleaner and a clean microfiber cloth to wipe the surface. Fingerprints, smudges and more persistent dirt can be removed by using a 1:10 dilution of Dawn® detergent and warm water. After cleaning, the surface should be rinsed with water to prevent streaking and dried with a clean microfiber towel. For tougher stains on Fused Metal, we recommend the use of white vinegar.</p> <p>The bright appearance Fused Metal can be maintained by occasional polishing with a soft cloth dipped in common household white vinegar.</p> <p><b>WITH CERAMILOC+</b> Fused Metal with Ceramiloc+ treatment should be maintained by wiping the surface with a clean microfiber cloth and water.</p>
<b>LINQ WOVEN METAL</b>	For routine cleaning of Linq Woven Metal patterns in Stainless Steel, spray a commercial cleaner specifically formulated for stainless steel onto a clean microfiber cloth and wipe the surface. We recommend Weiman® Stainless Steel Spray or Magic Stainless Steel Cleaner.
<b>BONDED METAL</b>	Bonded Metal & Bonded Quartz require very little maintenance. Routine dust should be removed by periodic vacuuming or with a soft brush. Do not use harsh abrasives, acids or chlorine-based cleaners or cleaning tools containing carbon steel, such as steel wool or wire brushes.
<b>BONDED QUARTZ</b>	
<b>WOOD VENEER</b>	Veneer surfaces can be maintained using standard commercial cleaners and polishes formulated for use on interior woods.
<b>LIGHTPLANE PANELS</b>	For routine cleaning of Forms+Surfaces LightPlane panels, spray a commercial, non-streaking cleaner specifically formulated for use on glass onto a clean microfiber cloth and wipe the surface. Do not apply liquids directly to the glass surface as this may cause damage to LEDs and internal electronics.

## DISINFECTING NON-POROUS SURFACES

VividGlass, CastGlass, Stainless Steel, Fused Metal, metals with Ceramiloc+ treatment, Linq Woven Metal, Bonded Metal and Bonded Quartz are non-porous surfaces that have been tested and can be successfully disinfected with Simple Green d Pro 3 Plus, a disinfectant, fungicide, virucide, mildewstat, and sanitizer that kills 99.9% of germs.

Per the manufacturer, "Simple Green d Pro 3 Plus has demonstrated effectiveness against viruses similar to SARS-CoV-2 on hard non-porous surfaces. Therefore Simple Green d Pro 3 Plus can be used against SARS-CoV-2 when used in accordance with the directions for use against Human Coronavirus on hard non-porous surfaces. Refer to the CDC website at [www.cdc.gov/coronavirus](http://www.cdc.gov/coronavirus) for additional information."

Simple Green d Pro 3 is sold as a concentrate. Dilute 2 ounces per 1 gallon of water for general use or for use as a disinfectant, fungicide, or virucide. For full instructions, please visit the manufacturer's website at [simplegreen.com/products/d-pro-3-plus](http://simplegreen.com/products/d-pro-3-plus). Light streaking may occur with some finishes and can be easily removed by rinsing the surface with a small amount of water and drying with a clean microfiber cloth. It is important to use a separate microfiber cloth for water than was used for applying Simple Green d Pro 3.