




FLIGHT™ BENCH

PRODUCT DATA





FLIGHT™ BENCH

PRODUCT DATA


Flight Benches bring a sleek aesthetic to the F+S seating portfolio. Shaped by minimalist modern lines and graceful curves, Flight blends a light airy feel with the strength and durability of all F+S products. Backed and backless benches in two sizes have frames of powdercoated aluminum. Seats and backs are available in a choice of sustainably sourced low-maintenance materials: FSC® 100% Cumaru hardwood or powdercoated aluminum slats can be specified for backed and backless benches. The ability to combine materials and colors in different ways makes it easy to tailor benches to site-specific themes and integrate Flight's streamlined design into a wide range of settings, from modern architectural spaces to traditional park-like environments.

MATERIAL & CONSTRUCTION DETAILS

INSTALLATION & MAINTENANCE

| | | |
|--|--|--|
| <p>CONFIGURATION OPTIONS</p> <ul style="list-style-type: none"> Benches with FSC® 100% Cumaru or powdercoated aluminum slats are available backed or backless, in 6' and 8' lengths. | <p>SEAT OPTIONS</p> <ul style="list-style-type: none"> Extruded aluminum slats feature a lightly grooved surface for enhanced appearance and non-slip feel. Aluminum slats are powdercoated. See the Forms+Surfaces Powdercoat chart for details. Custom RAL colors are available for an upcharge. FSC® 100% Cumaru hardwood seat slats have a natural oiled finish that enhances the wood's rich color. (FSC License Code: FSC-C004453) | <p>INSTALLATION</p> <ul style="list-style-type: none"> Flight Benches must be surface mounted. Surface mount benches include mounting plates. Stainless steel anchors and mounting bolts are sold separately. Paver mount option is also available and customized per project. Necessary hardware is included. |
| <p>FRAME</p> <ul style="list-style-type: none"> Bench frame is aluminum with a powdercoat finish. See the Forms+Surfaces Powdercoat Chart for details. Custom RAL colors are available for an upcharge. | | <p>MAINTENANCE</p> <ul style="list-style-type: none"> Metal surfaces can be cleaned as needed using a soft cloth or brush with warm water and a mild detergent. Cumaru hardwood slats can be maintained by re-oiling as needed with Perofin® hardwood finish or similar products. Avoid abrasive cleaners. |
| <p>OPTIONAL ARMRESTS</p> <ul style="list-style-type: none"> Optional cast aluminum armrests are powdercoated to match bench frame. See the Forms+Surfaces Powdercoat Chart for details. Custom RAL colors are available for an upcharge. Armrests are available on backless and backed benches. 6-foot benches have two inset armrests, while 8-foot benches have two inset armrests and one center armrest. | | |

NOMINAL DIMENSIONS



| MODEL | OVERALL LENGTH | OVERALL DEPTH | OVERALL HEIGHT | WEIGHT* |
|------------|----------------|------------------|----------------|--------------------|
| SBFLT-72NA | 72" (1829 mm) | 17.8" (452.1 mm) | 18" (457 mm) | 99.3 lbs (45.1 kg) |
| SBFLT-72NC | 72" (1829 mm) | 17.8" (452.1 mm) | 18" (457 mm) | 88.5 lbs (40.1 kg) |
| SBFLT-72NT | 72" (1829 mm) | 17.8" (452.1 mm) | 18" (457 mm) | 192 lbs (87.1 kg) |




*Add 2.7 lbs (1.22 kg) for each optional armrest.



FLIGHT™ BENCH




PRODUCT DATA

NOMINAL DIMENSIONS, CONTINUED






| MODEL | OVERALL LENGTH | OVERALL DEPTH | OVERALL HEIGHT | WEIGHT* |
|------------|----------------|---------------|----------------|-------------------|
| SBFLT-72BA | 72" (1829 mm) | 20" (508 mm) | 30" (762 mm) | 141 lbs (64 kg) |
| SBFLT-72BC | 72" (1829 mm) | 20" (508 mm) | 30" (762 mm) | 153 lbs (69.4 kg) |

*Add 2.7 lbs (1.22 kg) for each optional armrest.



| MODEL | OVERALL LENGTH | OVERALL DEPTH | OVERALL HEIGHT | WEIGHT* |
|------------|----------------|------------------|----------------|---------------------|
| SBFLT-96NA | 96" (2438 mm) | 17.8" (452.1 mm) | 18" (457 mm) | 122.5 lbs (55.6 kg) |
| SBFLT-96NC | 96" (2438 mm) | 17.8" (452.1 mm) | 18" (457 mm) | 108.3 lbs (49.1 kg) |
| SBFLT-96NT | 96" (2438 mm) | 17.8" (452.1 mm) | 18" (457 mm) | 254 lbs (115.2kg) |

*Add 2.7 lbs (1.22 kg) for each optional armrest.



| MODEL | OVERALL LENGTH | OVERALL DEPTH | OVERALL HEIGHT | WEIGHT* |
|------------|----------------|---------------|----------------|----------------------|
| SBFLT-96BA | 96" (2438 mm) | 20" (508 mm) | 30" (762 mm) | 181.1 lbs (82.15 kg) |
| SBFLT-96BC | 96" (2438 mm) | 20" (508 mm) | 30" (762 mm) | 164.1 lbs (74.43 kg) |

*Add 2.7 lbs (1.22 kg) for each optional armrest.

T 800.451.0410 | www.forms-surfaces.com

FORMS+SURFACES®

© 2023 Forms+Surfaces® | All dimensions are nominal. Specifications and pricing subject to change without notice. For the most current version of this document, please refer to our website at www.forms-surfaces.com.



FLIGHT™ BENCH

PRODUCT DATA

ENVIRONMENTAL CONSIDERATIONS

- Refer to the Flight Bench Environmental Data Sheet for detailed environmental impact information.
- All Flight Bench components are recyclable.
- All Flight Bench wood is FSC® 100%.
- Standard powdercoat finishes are no-VOC; non-standard powdercoat finishes are no- or low-VOC, depending on color.
- Low maintenance.

MODEL NUMBERS AND DESCRIPTIONS

| MODEL | DESCRIPTION |
|------------|---|
| SBFLT-72BA | Flight Bench, extruded aluminum slats, 6 foot, backed |
| SBFLT-72BC | Flight Bench, FSC® 100% Cumaru hardwood slats, 6 foot, backed |
| SBFLT-72NA | Flight Bench, extruded aluminum slats, 6 foot, backless |
| SBFLT-72NC | Flight Bench, FSC® 100% Cumaru hardwood slats, 6 foot, backless |
| SBFLT-96BA | Flight Bench, extruded aluminum slats, 8 foot, backed |
| SBFLT-96BC | Flight Bench, FSC® 100% Cumaru hardwood slats, 8 foot, backed |
| SBFLT-96NA | Flight Bench, extruded aluminum slats, 8 foot, backless |
| SBFLT-96NC | Flight Bench, FSC® 100% Cumaru hardwood slats, 8 foot, backless |

PRODUCT OPTIONS

The following options are available for an upcharge

| | |
|--|-----------------------------|
| Optional armrests | Custom RAL powdercoat color |
| Stainless steel anchors and mounting bolts | |

LEAD TIME: 6 to 8 weeks for freestanding or surface mounted benches and planters; shorter lead times may be available upon request. Lead times for custom wall-top mounted benches will vary based on the project. Please contact us to discuss your specific timing requirements.

PRICING: Please contact us at **800.451.0410** or **sales@forms-surfaces.com**. At Forms+Surfaces, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Territory Managers are located worldwide to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

TO ORDER SPECIFY: Quantity, model, powdercoat color for frame, and number. Quote/Order Forms are available on our website to lead you through the specification process in a simple checkbox format.