

PROJECT NAME: _____ DATE: _____

JOB LOCATION: _____ SPECIFIER: _____

PLEASE USE ADOBE READER OR ADOBE ACROBAT TO FILL OUT AND SAVE FORM. USING OTHER PROGRAMS COULD RESULT IN UNSAVED DATA.

APPLICATIONS

If you select a Forms+Surfaces System, please skip the Project Details, Lite Descriptions and Glass Characteristics sections.

Forms+Surfaces Systems

- LEVELr Wall Cladding System
- LEVELr Column System
- LEVELr Elevator Interiors
- LEVELe Wall Cladding System
- LEVELe Column System
- LEVELe Elevator Interiors
- LEVELc-2000 Elevator Interiors
- Glass Doors

Other Applications*

- Loose Lite(s)
- Other: _____

*For Other Applications, please fill out all sections.

PROJECT DETAILS

Please choose **one** option from each category.

Installation Type

- Captured Top & Bottom Only
- Fully Framed
- Mounted to a Solid Substrate
- Curtain Wall/IGU
- Post Mounted with Holes

Glass Thickness

- 3/8" (9.5 mm)
- 5/8" (15.9 mm)

Environment

- Interior, Standard Humidity
- Interior, High Humidity

Lighting Conditions

- Natural
- Backlit
- Spotlight
- Other (please provide details):

LITE DESCRIPTION

Description (include part number, if available)	Quantity	Size (width x height)
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

GLASS CHARACTERISTICS

Please choose **one** option from each category.

Safety Standards

- Annealed
- Tempered*
- Heat Strengthened**

Profile

- Flat
- Curved (please attach drawing)

*Tempering is required for load bearing holes and cutouts. Please note that 5/16" laminated glass can only be tempered to a max of 47" x 80".

**Heat strengthening is recommended for glass over 50 square feet.

PROCESSING REQUIREMENTS

Please choose **all** options that apply and provide detail as needed.

Edges

- Seamed Edges Top Bottom Left Side Right Side
- Flat Machine Polished Edges Top Bottom Left Side Right Side

Cuts

- Notches* Yes No _____
- Internal Cutouts* Yes No _____
- Pattern Cuts* Yes No _____
- Holes* Yes No _____

ANSI

- ANSI logo on glass** Yes No
- ANSI logo type American Canadian _____
- ANSI logo placement Standard Custom*** _____

*If yes, please attach drawing.

**ANSI logo is required for elevator interiors.

***If ANSI logo placement is custom, please provide details.

DESIGN CHARACTERISTICS

Please choose **one** option from each category.

Configuration

- Single-Sided
- Double-Sided

Magnetic

- Magnetic
- Non-magnetic

Finish

- Standard
- Pearlex+
- Standard / Pearlex+*

*One side Standard / one side Pearlex+ (View configuration only).

MOUNTING OPTIONS

Please choose mounting option, if need.

Mounting

- Slim Profile Mounting Cleat

ACCESSORIES

Please choose **all** options that apply and provide detail as needed.

Magnets

- Cylinder (7/16" diameter x 3/8" height) Quantity: _____
- Cube (3/8" x 3/8" x 3/8") Quantity: _____


Marker Tray

- Marker Tray
- If selected, please provide length of tray needed: _____

STANDARD INTERLAYER COLORS

Please choose **one** color option below.

Ultra White



Blackboard



Custom Pantone, Sherwin Williams or Benjamin Moore color: _____

NOTES

Four horizontal lines for taking notes.

Please send completed forms to sales@forms-surfaces.com or contact us at 800.451.0410 with any questions.