



HUDSON™ BENCH

PRODUCT DATA





HUDSON™ BENCH

PRODUCT DATA


The **Hudson Bench** offers the attractiveness and warmth of wood seating with construction rugged enough to endure weather and hard use in the most demanding public space environments. Benches are made entirely of FSC® 100% Cumaru, a remarkably durable hardwood that is highly resistant to moisture, insects, fire, vandalism, and decay. Simple in design, Hudson's clean, linear form looks great in just about any setting.

MATERIAL & CONSTRUCTION DETAILS

INSTALLATION & MAINTENANCE

CONSTRUCTION	INSTALLATION	MAINTENANCE
<ul style="list-style-type: none"> Seats and legs are both made from nominal 1.5" x 4" (38 mm x 102 mm) solid Cumaru hardwood slats locked together with concealed 1/2" diameter threaded stainless steel rods. Cumaru hardwood slats offer superior resistance to moisture, insects, fire, vandalism, and decay. All Hudson wood is FSC® 100% and has a natural oiled finish that enhances the wood's rich color. (FSC License Code: FSC-C004453) 	<ul style="list-style-type: none"> Hudson Benches can be freestanding or surface mounted. Surface mounted models incorporate substantial powdercoated steel weldments used to mount the legs to the substrate. Stainless steel anchors and mounting bolts are sold separately. 	<ul style="list-style-type: none"> Cumaru hardwood slats can be maintained by re-oiling as needed with Penofin® hardwood finish or similar products.

NOMINAL DIMENSIONS



MODEL	OVERALL LENGTH	OVERALL DEPTH	OVERALL HEIGHT	OVERALL WEIGHT
SBHUD-72F	72" (1829 mm)	17.9" (455 mm)	15.8" (401 mm)	193 lbs (87.5 kg)
SBHUD-72S	72" (1829 mm)	17.9" (455 mm)	15.8" (401 mm)	219 lbs (99.3 kg)
SBHUD-96F	96" (2438 mm)	17.9" (455 mm)	15.8" (401 mm)	263 lbs (119.3 kg)
SBHUD-96S	96" (2438 mm)	17.9" (455 mm)	15.8" (401 mm)	291 lbs (132 kg)

ENVIRONMENTAL CONSIDERATIONS

- Please refer to the Hudson Bench Environmental Data Sheet for detailed environmental impact information.
- All components are fully recyclable.
- All Hudson wood is FSC® 100%.
- Low maintenance.

MODEL NUMBERS AND DESCRIPTIONS

MODEL	DESCRIPTION
SBHUD-72F	Hudson Bench, FSC® 100% Cumaru hardwood slats, 6 foot, freestanding
SBHUD-72S	Hudson Bench, FSC® 100% Cumaru hardwood slats, 6 foot, surface mount
SBHUD-96F	Hudson Bench, FSC® 100% Cumaru hardwood slats, 8 foot, freestanding
SBHUD-96S	Hudson Bench, FSC® 100% Cumaru hardwood slats, 8 foot, surface mount



HUDSON™ BENCH

PRODUCT DATA

PRODUCT OPTIONS

The following option is available for an upcharge

Stainless steel anchors and mounting bolts

LEAD TIME: 6 to 8 weeks. Shorter lead times may be available upon request. Please contact us to discuss your specific timing requirements.

PRICING: Please contact us at **800.451.0410** or **sales@forms-surfaces.com**. At Forms+Surfaces, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Territory Managers are located worldwide to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

TO ORDER SPECIFY: Quantity and model. Quote/Order Forms are available on our website to lead you through the specification process in a simple checkbox format.