



BALANCE™ BENCH

PRODUCT DATA





BALANCE™ BENCH

PRODUCT DATA


The **Balance Bench** is an elegant and durable public seating solution perfect for a wide range of environments. Bold and beautiful in form, the cantilever frame is constructed of rustproof solid cast aluminum. Seats are made from corrosion-resistant stainless steel. Available in backed and backless versions, the Balance Bench is ideal for transportation centers, campuses, municipal spaces or any setting where robust construction and superb design are priorities.

MATERIAL & CONSTRUCTION DETAILS


INSTALLATION & MAINTENANCE

FRAME	SEAT	ARMRESTS	INSTALLATION
<ul style="list-style-type: none"> Frame is made of solid cast aluminum with powdercoat finish. See the Forms+Surfaces Powdercoat Chart for details. Custom RAL colors are available for an upcharge. Due to the inherent nature of metal castings, gloss powdercoats are not offered for cast components. 	<ul style="list-style-type: none"> Seats are formed from stainless steel sheet with 1.2" (30 mm) hexagonal perforations. Seats come in two standard stainless steel finishes, Sandstone and Satin, or can be powdercoated. See the Forms+Surfaces Powdercoat Chart for details. Custom RAL colors are available for an upcharge. 	<ul style="list-style-type: none"> All benches have two armrests that are integral parts of the frame end castings. 	<ul style="list-style-type: none"> Balance Benches must be surface mounted. Stainless steel anchors and mounting bolts are sold separately.
		OPTIONAL SEAT DIVIDERS	MAINTENANCE
		<ul style="list-style-type: none"> One or two optional seat dividers per bench are available for an upcharge. Seat dividers are solid aluminum and are powdercoated to match the frame. 	<ul style="list-style-type: none"> Metal surfaces can be cleaned as needed using a soft cloth or brush with warm water and a mild detergent. Avoid abrasive cleaners.

NOMINAL DIMENSIONS



MODELS	OVERALL LENGTH	OVERALL DEPTH	SEAT DEPTH	OVERALL HEIGHT	SEAT HEIGHT	ARMREST HEIGHT	WEIGHT
SBBAL-72BSS	75" (1905 mm)	23" (584 mm)	18" (457 mm)	32.9" (836 mm)	17.3" (439 mm)	24.7" (627 mm)	121.9 lbs (55.3 kg)
SBBAL-72BPC	75" (1905 mm)	23" (584 mm)	18" (457 mm)	32.9" (836 mm)	17.3" (439 mm)	24.7" (627 mm)	121.9 lbs (55.3 kg)



DESCRIPTION	OVERALL LENGTH	OVERALL DEPTH	SEAT DEPTH	OVERALL HEIGHT	SEAT HEIGHT	ARMREST HEIGHT	WEIGHT
SBBAL-72NSS	75" (1905 mm)	20" (508 mm)	19" (483 mm)	24.1" (612 mm)	19.1" (485 mm)	24.1" (612 mm)	94.9 lbs (43.0 kg)
SBBAL-72NPC	75" (1905 mm)	20" (508 mm)	19" (483 mm)	24.1" (612 mm)	19.1" (485 mm)	24.1" (612 mm)	94.9 lbs (43.0 kg)

T 800.451.0410 | www.forms-surfaces.com

FORMS+SURFACES®

© 2021 Forms+Surfaces® | All dimensions are nominal. Specifications and pricing subject to change without notice. For the most current version of this document, please refer to our website at www.forms-surfaces.com.



BALANCE™ BENCH

PRODUCT DATA

ENVIRONMENTAL CONSIDERATIONS

- Please refer to the Balance Bench Environmental Data Sheet for detailed environmental impact information.
- Balance has up to 89% recycled content and is fully recyclable.
- Powdercoat finishes are no- or low-VOC, depending on color.
- Low maintenance; easy to disassemble.

MODEL NUMBERS AND DESCRIPTIONS

MODEL	DESCRIPTION
SBBAL-72BSS	Balance Bench, backed seat with stainless steel finish
SBBAL-72BPC	Balance Bench, backed seat with powdercoat finish
SBBAL-72NSS	Balance Bench, backless seat with stainless steel finish
SBBAL-72NPC	Balance Bench, backless seat with powdercoat finish

PRODUCT OPTIONS

The following options are available for an upcharge

Seat divider(s)	Custom RAL powdercoat color
Stainless steel anchors and mounting bolts	

LEAD TIME: 6 to 8 weeks. Shorter lead times may be available upon request. Please contact us to discuss your specific timing requirements.

PRICING: Please contact us at **800.451.0410** or **sales@forms-surfaces.com**. At Forms+Surfaces, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Territory Managers are located worldwide to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

TO ORDER SPECIFY: Quantity, model, powdercoat color for frame castings, stainless steel finish or powdercoat color for seat, number of seat dividers. Quote/Order Forms are available on our website to lead you through the specification process in a simple checkbox format.

NOTE: Because different computers, monitors and printers render colors differently, actual colors will vary slightly from those shown here.