




ORION™ DOOR PULLS

PRODUCT DATA





ORION™ DOOR PULLS



PRODUCT DATA


Orion Door Pulls add dramatic punctuation to any architectural setting. In addition to their unique profile, pulls feature combination grips and stand-offs. Each element may be specified in any of the materials listed, and metals and finishes may be combined on a single pull to stunning effect.

MATERIALS & FINISHES

INSTALLATION & MAINTENANCE

STAINLESS STEEL		BRONZE		INSTALLATION	MAINTENANCE
US32	Polished Stainless Steel	US9	Polished Bronze	<ul style="list-style-type: none"> Orion Door Pulls may be single mounted or mounted back-to-back on wood, metal or glass doors. Orion Door Pulls are installed using Mounting System "B". A thread-locking adhesive such as Loctite® is recommended for secure installation. Refer to Mounting Options B1, B2, B3, B4, B5, B6 and B7 shown below for additional information. 	<ul style="list-style-type: none"> Orion Door Pulls are well-suited for interior or exterior use. Regular maintenance will help ensure the lasting beauty of each pull. For more information, please refer to <i>Door Hardware Care & Maintenance</i> found on our website.
US32D	Satin Stainless Steel	US10	Satin Bronze		
SSS	Stippled Stainless Steel	SBR	Stippled Bronze		
		US10B	Oil-Rubbed Bronze		

DESIGN OPTIONS



MOUNTING OPTIONS


B-1 Back-to-back mount on wood or metal door with Rota-Lok.	B-2 Single mount on glass door with end cap purchased separately.	B-3 Back-to-back mount on glass door with Rota-Lok.	B-4 Single mount on wood or metal door with through bolt.	*B-5 Concealed single mount on wood door with threaded insert and Rota-Lok.	B-6 "L" Configuration: Adapt one end of each pull for back-to back mounting with Rota-Lok. Specify "B" mounting for other ends.	B-7 Concealed single mount on aluminum frame door with Rota-Lok and customer's reinforcement.
*Forms+Surfaces offers but does not recommend concealed mounting on wood doors. Frequent or heavy use can compromise the integrity of this mounting.						

For more information on mounting Orion Door Pulls, please refer to the *Hardware Installation Instruction Manual* found on our website.





ORION™ DOOR PULLS



PRODUCT DATA

LIST PRICING AND ORDERING INFORMATION

Pricing does not include freight. No additional charge for mounting hardware. All pricing is for single units, not pairs.

MODEL (LEFT)	MODEL (RIGHT)	DESCRIPTION	
ORD1111-20-0AS 20" (508mm) c.c.	ORD1122-20-0AS 20" (508mm) c.c.	Orion Door Pull, Stainless Steel grip, Stainless Steel standoff	\$687
ORD1111-20-0SB 20" (508mm) c.c.	ORD1122-20-0SB 20" (508mm) c.c.	Orion Door Pull, Stainless Steel grip, Bronze standoff	\$763
ORD1111-20-0BS 20" (508mm) c.c.	ORD1122-20-0BS 20" (508mm) c.c.	Orion Door Pull, Bronze grip, Stainless Steel standoff	\$929
ORD1111-20-0BB 20" (508mm) c.c.	ORD1122-20-0BB 20" (508mm) c.c.	Orion Door Pull, Bronze grip, Bronze standoff	\$1,005
DT1001		Grip End Cap, 1" (25mm) diameter, Stainless Steel	\$40
		Grip End Cap, 1" (25mm) diameter, Bronze	\$60
DT1501		Standoff End Cap, 1.5" (38mm) diameter, Stainless Steel	\$59
		Standoff End Cap, 1.5" (38mm) diameter, Bronze	\$85

HOW TO SPECIFY:

Provide model number, quantity, metal and finish for each element (including grip and standoff), mounting option, door material and thickness.

