

DIVISION 12 00 00 FURNISHINGS
SECTION 12 93 00 SITE FURNISHINGS
SECTION 12 93 43 SITE SEATING AND TABLES
SECTION 12 93 43.13 SITE SEATING
 AVIVO CHAIR

Part 1 General

01. Summary

A. Section Includes:

1. Chairs without armrests.
2. Chairs with armrests.

02. Submittals

A. Provide submittals in accordance with Section 01 33 00 – Submittal Procedures.

B. Product data:

1. Manufacturer's standard product literature.
2. Shop drawings.
3. Maintenance instructions.

C. Submit powdercoat finish samples for approval.

03. Quality Assurance

A. Manufacturer Qualifications:

1. Minimum 15 years experience in the manufacture of site seating.
2. Provide reference list of at least ten major transportation authorities, municipalities, universities, or other high-use public environments currently using site seating fabricated by the manufacturer.

04. Delivery, Storage and Handling

- A. Handle products in accordance with manufacturer's instructions.
- B. Store products in manufacturer's original packaging until ready for installation.
- C. Protect products from impacts and abrasion during storage.

05. Warranty

A. Provide manufacturer's standard warranty.

1. Warranty terms: one year from date of invoice against defects in materials and workmanship.

Part 2 Products

01. Manufacturer

A. Basis-of-design product: provide chairs and/or armchairs based on the product named:

1. Avivo Chair by Forms+Surfaces.
2. Manufacturer Contact:
Forms+Surfaces
30 Pine Street
Pittsburgh, PA 15223
phone: 800-451-0410
fax: 412-781-7840

email: sales@forms-surfaces.com
website: www.forms-surfaces.com

B. Chairs

1. Materials:
 - a. Chair frames, armrests: cast aluminum.
 - b. Seats and seat backs: 1/8" formed aluminum.
 - c. Glides and bumpers: UV-stabilized, wear resistant polypropylene.
2. Finishes:
 - a. Polyester powdercoat (Select one option below):
 - 1) Standard Texture from Forms+Surfaces Powdercoat Chart.
 - 2) Premium Texture from Forms+Surfaces Powdercoat Chart.
 - 3) Custom RAL powdercoat color.
 - b. Seat and seat back perforation options (Select one option below):
 - 1) No perforation.
 - 2) Stella perforation pattern.
 - 3) Riva perforation pattern.
 - 4) Vento perforation pattern.
3. Dimensions (Select model(s) below):
 - a. Chair without armrests: 19" overall width x 23" overall depth x 32.3" overall height. 16.5" seat width, 19" seat height, 19" seat depth.
 - b. Chair with armrests: 22" overall width x 23" overall depth x 32.3" overall height. 16.5" seat width, 19" seat height, 19" seat depth, 24.5" armrest height.
4. Installation: Freestanding.

Part 3 Execution

01. Examination

- A. Verify that substrates are stable and capable of supporting the weight of items covered under this section.

END OF SECTION