

**DIVISION 12 00 00      FURNISHINGS**  
**SECTION 12 93 00      SITE FURNISHINGS**  
**SECTION 12 93 43      SITE SEATING AND TABLES**  
**SECTION 12 93 43.53    SITE TABLES**  
**AVIVO PEDESTAL TABLE**

**Part 1 General**

01. Summary

A. Section Includes: (Select model(s) below):

1. Coffee table, 36" diameter table top, aluminum inset.
2. Coffee table, 36" diameter table top, ViviGraphix Graphica laminated glass inset.
3. Coffee table, 36" diameter table top, TENSL ultra high performance concrete inset.
4. Coffee table, 42" diameter table top, aluminum inset.
5. Coffee table, 42" diameter table top, ViviGraphix Graphica laminated glass inset.
6. Coffee table, 42" diameter table top, TENSL ultra high performance concrete inset.
7. Café table, 36" diameter table top, aluminum inset.
8. Café table, 36" diameter table top, ViviGraphix Graphica laminated glass inset.
9. Café table, 36" diameter table top, TENSL ultra high performance concrete inset.
10. Café table, 42" diameter table top, aluminum inset.
11. Café table, 42" diameter table top, ViviGraphix Graphica laminated glass inset.
12. Café table, 42" diameter table top, TENSL ultra high performance concrete inset.
13. Bar table, 36" diameter table top, aluminum inset.
14. Bar table, 36" diameter table top, ViviGraphix Graphica laminated glass inset.
15. Bar table, 36" diameter table top, TENSL ultra high performance concrete inset.
16. Bar table, 42" diameter table top, aluminum inset.
17. Bar table, 42" diameter table top, ViviGraphix Graphica laminated glass inset.
18. Bar table, 42" diameter table top, TENSL ultra high performance concrete inset.

02. Submittals

A. Provide submittals in accordance with Section 01 33 00 – Submittal Procedures.

B. Product data:

1. Manufacturer's standard product literature.
2. Shop drawings.
3. Installation instructions.
4. Maintenance instructions.

03. Quality Assurance

A. Manufacturer Qualifications:

1. Minimum 15 years experience in the manufacture of outdoor tables.
2. Provide reference list of at least ten major transportation authorities, municipalities, universities, or other high-use public environments currently using outdoor tables fabricated by the manufacturer.

04. Delivery, Storage and Handling

A. Handle products in accordance with manufacturer's instructions.

B. Store products in manufacturer's original packaging until ready for installation.

C. Protect products from impacts and abrasion during storage.

05. Warranty

A. Provide manufacturer's standard warranty.

1. Warranty terms: one year from date of invoice against defects in materials and workmanship.

**Part 2 Products**

01. Manufacturer

A. Basis-of-design product: provide table pedestals based on the product named:

1. Avivo Pedestal Table by Forms+Surfaces.

2. Manufacturer Contact:

Forms+Surfaces

30 Pine Street

Pittsburgh, PA 15223

phone: 800-451-0410

fax: 412-385-4715

email: sales@forms-surfaces.com

website: www.forms-surfaces.com

B. Tables

1. Materials:

a. Table frames: extruded aluminum with cast aluminum legs.

b. Table tops (Select one option below):

1) FSC® 100% Cumaru hardwood slat inset.

2) Aluminum inset (Select one option below):

1. No perforation.

2. Riva perforation pattern.

3) ViviGraphix Graphica laminated glass inset: Shift pattern.

4) TENSL Ultra High Performance Concrete (UHPC)

2. Finish:

a. Aluminum frame:

1) Polyester powdercoat (Select one option below):

1. Standard Texture from Forms+Surfaces Powdercoat Chart.

2. Custom RAL powdercoat color.

b. Table tops:

1) Wood: natural oiled finish.

2) Aluminum inset:

1. Polyester powdercoat (Select one option below):

a. Standard Texture from Forms+Surfaces Powdercoat Chart.

b. Custom RAL powdercoat color.

3) TENSL UPHC: Natural color with hydrophobic treatment.

3. Umbrella hole: (Select one option below):
  - a. No umbrella hole
  - b. Umbrella hole to receive a 1.5" (38 mm) diameter umbrella pole. Nylon collar and cap are included.
4. Dimensions (Select model(s) below):
  - a. Table diameter and height:
    - 1) Overall dimensions: 36" diameter, 16" high.
    - 2) Overall dimensions: 36" diameter, 30" high.
    - 3) Overall dimensions: 36" diameter, 43" high.
    - 4) Overall dimensions: 42" diameter, 16" high.
    - 5) Overall dimensions: 42" diameter, 30" high.
    - 6) Overall dimensions: 42" diameter, 43" high.
4. Mounting (Select one below):
  - a. Freestanding with nylon levelers.
  - b. Surface mount with stainless steel hardware.

### **Part 3 Execution**

#### **01. Examination**

- A. Verify that substrates are stable and capable of supporting the weight of items covered under this section.
- B. Verify that substrates have been adequately prepared to securely anchor those items that will be surface mounted.

#### **02. Installation**

- A. Install according to the manufacturer's installation instructions.
- B. Install in conformance to applicable ADA guidelines and End User's established Accessibility policies.

### **END OF SECTION**