

DIVISION 12 00 00	FURNISHINGS
SECTION 12 93 00	SITE FURNISHINGS
SECTION 12 93 43	SITE SEATING AND TABLES
SECTION 12 93 43.53	SITE TABLES
	CITRUS TABLE

Part 1 General

01. Summary

A. Section Includes:

1. Table with 36" diameter Eco-Etch table top.
2. Table with 36" diameter perforated table top.
3. Table with 42" diameter Eco-Etch table top.
4. Table with 42" diameter perforated table top.

02. Submittals

A. Provide submittals in accordance with Section 01 33 00 – Submittal Procedures.

B. Product data:

1. Manufacturer's standard product literature.
2. Shop drawings.
3. Installation instructions.
4. Maintenance instructions.

C. Submit powdercoat finish samples for approval.

03. Quality Assurance

A. Manufacturer Qualifications:

1. Minimum 15 years experience in the manufacture of outdoor tables.
2. Provide reference list of at least ten major transportation authorities, municipalities, universities, or other high-use public environments currently using outdoor tables fabricated by the manufacturer.

04. Delivery, Storage and Handling

- A. Handle products in accordance with manufacturer's instructions.
- B. Store products in manufacturer's original packaging until ready for installation.
- C. Protect products from impacts and abrasion during storage.

05. Warranty

A. Provide manufacturer's standard warranty:

1. Warranty terms: one year from date of invoice against defects in materials and workmanship.

Part 2 Products

01. Manufacturer

A. Basis-of-design product: provide tables based on the product named:

1. Citrus Table by Forms+Surfaces.
2. Manufacturer Contact:
Forms+Surfaces

30 Pine Street
Pittsburgh, PA 15223
phone: 800-451-0410
fax: 412-781-7840
email: sales@forms-surfaces.com
website: www.forms-surfaces.com

B. Table

1. Materials:

- a. Table top: stainless steel.
- b. Column: formed aluminum.
- c. Base: cast aluminum.
- d. Hardware: stainless steel.

2. Finishes:

a. Table top:

1) Stainless steel finish. (Choose one below):

1. Sandstone (N/A for table tops with Eco-Etch Citrus pattern).
2. Seastone
3. Diamond (N/A for table tops with Eco-Etch Citrus pattern).
4. Satin.

2) Optional polyester powdercoat. (N/A for table tops with Eco-Etch Citrus pattern). (Choose one below):

1. Center of table top: Fog.
2. Center of table top: Lime.
3. Rim of table top: Fog.
4. Rim of table top: Lime.

3) With or without a center hole to receive a 1.5" (38 mm) diameter umbrella pole. When an umbrella hole is specified, a nylon collar and cap are included.

b. Column: fine radial Satin with clear polyester powdercoat.

c. Base: polyester powdercoat. (Choose one below):

- 1) Standard Texture from Forms+Surfaces Powdercoat Chart.
- 2) Premium Texture from Forms+Surfaces Powdercoat Chart.
- 3) Custom RAL powdercoat color.

3. Dimensions: (Choose model(s) below):

- a. Tables with 36" diameter table tops: 36" overall diameter, 30" high.
- b. Tables with 42" diameter table tops: 42" overall diameter, 30" high.

4. Installation (Select one below):

- a. Freestanding.
- b. Surface mount (provide installation hardware when surface mount is specified).

Part 3 Execution

01. Examination

- A. Verify that substrates are stable and capable of supporting the weight of items covered under this section.
- B. Verify that substrates have been adequately prepared to securely anchor those items that will be surface mounted.

02. Installation

- A. Install according to the manufacturer's installation instructions.
- B. Install in conformance to applicable ADA guidelines and End User's established Accessibility policies.

END OF SECTION