

**DIVISION 12 00 00      FURNISHINGS**  
**SECTION 12 93 00      SITE FURNISHINGS**  
**SECTION 12 93 43      SITE SEATING AND TABLES**  
**SECTION 12 93 43.53   SITE TABLES**  
   CROSS TABLE

**Part 1    General**

01. Summary

A. Section Includes:

1. 24" base, 24" round top.
2. 24" base, 30" round top.
3. 24" base, 36" round top.
4. 24" base, 36" x 36" square top.
5. 36" base, 42" round top.

02. Submittals

A. Provide submittals in accordance with Section 01 33 00 – Submittal Procedures.

B. Product data:

1. Manufacturer's standard product literature.
2. Shop drawings.
3. Installation instructions.
4. Maintenance instructions.

03. Quality Assurance

A. Manufacturer Qualifications:

1. Minimum 15 years experience in the manufacture of outdoor tables.
2. Provide reference list of at least ten major transportation authorities, municipalities, universities, or  
other high-use public environments currently using outdoor tables fabricated by the  
manufacturer.

04. Delivery, Storage and Handling

- A. Handle products in accordance with manufacturer's instructions.
- B. Store products in manufacturer's original packaging until ready for installation.
- C. Protect products from impacts and abrasion during storage.

05. Warranty

A. Provide manufacturer's standard warranty:

1. Warranty terms: one year from date of invoice against defects in materials and workmanship.

**Part 2    Products**

01. Manufacturer

A. Basis-of-design product: provide tables based on the product named:

1. Cross Table by Forms+Surfaces.
2. Manufacturer Contact:  
Forms+Surfaces

30 Pine Street  
Pittsburgh, PA 15223  
phone: 800-451-0410  
fax: 412-781-7840  
email: sales@forms-surfaces.com  
website: www.forms-surfaces.com

**B. Table Tops:**

1. Material: spun stainless steel.
2. Finish (**Select one finish below**):
  - a. Stainless steel finish:
    - 1) Sandstone.
    - 2) Diamond.
    - 3) Satin.
  - a. Polyester powdercoat:
    - 1) Standard Texture/Gloss from Forms+Surfaces Powdercoat Chart.
    - 2) Premium Texture from Forms+Surfaces Powdercoat Chart.
    - 3) Custom RAL powdercoat color.
  - b. With or without a center hole to receive a 1.5" (38 mm) diameter umbrella pole. When an umbrella hole is specified, a nylon collar and cap are included.
1. Perforation pattern: concentric pattern of ¼" round perforations.

**A. Table Base and Column**

1. Materials:
  - a. Vertical supports: 3" diameter stainless steel tubing.
  - b. Base supports: 1.5" diameter stainless steel tubing with black plastic end caps.
2. Finish (**Select one below**):
  - a. Stainless Steel finish: Satin.
  - b. Polyester powdercoat:
    - 1) Standard Texture/Gloss from Forms+Surfaces Powdercoat Chart.
    - 2) Premium Texture from Forms+Surfaces Powdercoat Chart.
    - 3) Custom RAL powdercoat color.
3. Dimensions: 29" high.
4. Installation (**Select one below**):
  - a. Freestanding.
  - b. Surface mount (Surface mount is mandatory for certain models. See Product Data Sheet or Design Guide for details.) (Provide installation hardware when surface mount is specified).

**Part 3 Execution**

**01. Examination**

- A. Verify that substrates are stable and capable of supporting the weight of items covered under this section.

B. Verify that substrates have been adequately prepared to securely anchor those items that will be surface mounted.

02. Installation

A. Install according to the manufacturer's installation instructions.

B. Install in conformance to applicable ADA guidelines and End User's established accessibility policies.

**END OF SECTION**