

Bistro Tables are durable, ergonomic, low maintenance and easy to disassemble. The stainless steel construction is 100% recyclable and contains high recycled content. Powdercoat finishes are no- or low-VOC.

Recycled Content & Certifications

Configurations	Post-Industrial Recycled Content	Post-Consumer Recycled Content	Total Recycled Content	3 rd Party Certifications
Bistro Table, 30" diameter stainless steel base, Diamond or Sandstone table top	46%	23%	69%	-
Bistro Table, 30" diameter stainless steel base, Satin table top	66%	0%	66%	-
Bistro Table, 30" diameter stainless steel base, Diamond or Sandstone table top, umbrella stand	47%	22%	69%	-
Bistro Table, 30" diameter stainless steel base, Satin table top, umbrella stand	63%	3%	66%	-

Green Building Standards

LEED® v3
<i>MR2: Construction Waste Management</i> – packaging is designed to be reusable or recyclable. See below for details.
<i>MR4: Recycled Content</i> – recycled content is shown above for two leg benches. Contact for add-on sections.
<i>MR5: Regional Materials</i> – this product is manufactured in Pittsburgh, PA. Please contact for details.
<i>IEQp2: Environmental Tobacco</i> - this product may be used to help designate a smoking area away from doors, windows, and ventilation inlets.
LEED v4
<i>MRp2/MR5: Construction Waste Management</i> – packaging is designed to be reusable or recyclable. See below for details.
<i>MR3: Sourcing of Raw Matls. (recycled content)</i> – recycled content is shown above for two leg benches. Contact for add-on sections.
<i>(regional materials)</i> – this product is manufactured in Pittsburgh, PA. Contact for details.
<i>EQp2: Environmental tobacco smoke control</i> - this product may be used to help designate a smoking area away from doors, windows, & ventilation inlets.
<i>EQ2: Low-emitting Materials</i> – inherently non-emitting sources. Contact for details.
Green Globes™
<i>3.5.4.1 Construction Waste</i> – packaging is designed to be reusable or recyclable. See below for details.
<i>3.5.6.3 Deconstruction and Disassembly</i> – this product can be disassembled to separate recyclable components.
<i>3.7.2.1 Volatile Organic Compounds</i> - inherently non-emitting sources. Contact for details.
<i>3.7.2.9 Other Indoor Pollutants (Tobacco...)</i> - this product may be used to help designate a smoking area away from doors, windows, & ventilation inlets.
Estidama Pearl Rating System: Design & Construction, Version 1.0
<i>LBi-R2: Smoking Control</i> - this product may be used to help designate a smoking area away from doors, windows, and ventilation inlets.
<i>LBi-2.5: Material Emissions: Formaldehyde Reduction</i> – inherently non-emitting sources. Contact for details.
<i>SM-R1: Hazardous Material Elimination</i> – product contains no ACMS and no CCA-treated timber.
<i>SM-R2/SM-13: Construction Waste Management</i> - packaging is designed to be reusable or recyclable. See below for details.
SITES v2 Rating System
<i>Materials C5.3: Design for adaptability and disassembly</i> - this product can be disassembled to separate recyclable components.
<i>Materials C5.5: Use recycled content materials</i> - recycled content is shown above for two leg benches. Contact for add-on sections.
<i>Materials C5.6: Use regional materials</i> - this product is manufactured in Pittsburgh, PA. Contact for extraction information.
<i>HHWB C6.10: Minimize exposure to environmental tobacco smoke (ETS)</i> - this product may be used to help designate a smoking area away from doors, windows, and ventilation inlets.
<i>Construction C7.5: Divert construction and demolition materials from disposal</i> - packaging is designed to be reusable or recyclable. See below for details.

Product Materials

Material	Description	Maintenance (0-5)*	Inherent Value (0-5)**	Biodegradable	Corrosion/Wear Resistant	Rapidly Renewable	Recyclable	Scratch Resistant
Stainless Steel	Steel that is alloyed with chromium and other metals to improve corrosion-resistance.	3	4		x		x	
*Maintenance ratings are assigned as follows: 0 – High level of maintenance required to keep up product performance and aesthetics; 5 – Absolutely no maintenance required to keep up product’s visual appearance and performance characteristics;								
**Inherent value ratings are assigned based on the material’s scrap value: 0 – No scrap value, or negative scrap value, and/or no scrap market; 5 – High scrap value, accompanied by robust scrap market								

Processes

Process	Description
Calendaring	Metalworking process in which sheet metal is rolled out at room temperature, changing the molecular structure to make it harder and more resistant to scratching.
Cutting	A variety of methods may be used to cut through various materials.
Forming	A mechanical process used to alter the shape of metal.
Metal Finishing	Applied using grinding/sanding or polishing wheels. Finishing produces a grained/brushed or mirror-like finish on the surface, and depending on the material will increase corrosion resistance.
Metal Spinning	A metal working process in which a tube or sheet of metal is rotated on a single axis to form an axially symmetric part.
Powdercoating	A solvent-free finishing method in which electrically charged particles of pigmented resins are sprayed onto a product. Electrical grounding of the coated object causes the charged powder to adhere to the surface. When baked in a curing oven the deposited powder melts and fuses together to form a durable, cross-linked coating.
Steel Making	Steel and stainless steel are made in one of two types of furnace: a Basic Oxygen Furnace (BOF) or an Electric Arc Furnace (EAF). A BOF is used to make steel from iron ore or from scrap steel; an EAF is used primarily to reprocess scrap steel.
Welding	A process that joins two similar metals by causing coalescence. Usually accomplished by melting the work pieces and adding a filler material to form a pool of molten metal that cools to become a strong joint.

Packaging Materials

Material	Type	Description	Disposal
Cardboard	Box	Small or light products are packaged in cardboard boxes. Reused for shipping.	Reuse/Recycle
Foam	Sheets	Micro foam sheets are used to protect the finish on products.	Reuse
Plastic	Band	Banding is used to keep products secured to a pallet during transport.	Recycle
Wood	Crate	Wood crates are made to fit onsite. Wood scraps are recycled into mulch. Crates are reused when possible.	Reuse/Recycle
Wood	Pallet	Used in shipping. Reused onsite until no longer serviceable, then recycled.	Reuse/Recycle

Transport

Method	Type	Description
Boat	Overseas	Some product components are shipped by cargo ship from overseas.
Ground	Truck/Rail	Some incoming shipments and almost all outgoing shipments to customers are sent via ground transportation. This can include truck and often rail transport depending on the final destination. We are an EPA SmartWay® Transport Partner.

Maintenance & Use

Maintenance or Use	Description	Chemicals Required
Clean with Water and Mild Cleaner	This product requires a damp cloth and a mild, nontoxic cleaner for maintenance.	Mild, water-based cleaner
Ergonomic	Product is designed for ergonomic use, which will contribute to service life.	N/A
Modularity	Components in this product can be replaced or updated without replacing the entire product.	N/A

Disposal

Method	Description
Disassemble	Product can be disassembled to separate recyclable components.
Recyclable - Fully	Product is fully recyclable.
Recycling - Scrap	Materials can be sold for scrap.
Reuse	This item can be reused in the same or different function.

Forms+Surfaces is dedicated to environmental responsibility. We maintain an Environmental Management System and are continually working to improve our impact through efficiency, material selection, vendor education, employee involvement, and an unwavering commitment to being exemplary corporate citizens. If you would like additional information on our Environmental Management System or our company environmental initiatives and policies, please feel free to contact our Sustainability Team at green@forms-surfaces.com.