

The Knight Bench is constructed of durable materials. The bench is ergonomic, low maintenance, recyclable and easy to disassemble. Powdercoat finishes are no- or low-VOC. The frame is comprised of 100% recyclable, corrosion resistant aluminum. The seat slats are available in FSC 100% Cumaru hardwood or corrosion resistant aluminum with zinc end caps. FSC 100% means that 100% of the wood is responsibly sourced from forests certified by the Forest Stewardship Council, which is recognized as the gold standard of forest management.

Recycled Content & Certifications

Configurations	Post-Industrial Recycled Content	Post-Consumer Recycled Content	Total Recycled Content	3 rd Party Certifications
FSC 100% Cumaru hardwood slats, 6 foot, backed, surface mount	10%	10%	20%	FSC 100%
FSC 100% Cumaru hardwood slats, 6 foot, backed, surface mount, 2 arms	11%	10%	21%	FSC 100% - 49% by weight
FSC 100% Cumaru hardwood slats, 6 foot, backless, surface mount	14%	11%	25%	FSC 100%
FSC 100% Cumaru hardwood slats, 6 foot, backless, surface mount, 2 arms	15%	11%	26%	FSC 100% - 49% by weight
FSC 100% Cumaru hardwood slats, 8 foot, backed, surface mount	9%	11%	20%	FSC 100%
FSC 100% Cumaru hardwood slats, 8 foot, backed, surface mount, 2 arms	10%	11%	21%	FSC 100%
FSC 100% Cumaru hardwood slats, 8 foot, backed, surface mount, 3 arms	10%	11%	21%	FSC 100%
FSC 100% Cumaru hardwood slats, 8 foot, backless, surface mount	12%	13%	25%	FSC 100%
FSC 100% Cumaru hardwood slats, 8 foot, backless, surface mount, 2 arms	14%	12%	26%	FSC 100%
FSC 100% Cumaru hardwood slats, 8 foot, backless, surface mount, 3 arms	14%	12%	26%	FSC 100%
Extruded aluminum slats, 6 foot, backed, surface mount	9%	8%	17%	-
Extruded aluminum slats, 6 foot, backed, surface mount, 2 arms	10%	8%	18%	-
Extruded aluminum slats, 6 foot, backless, surface mount	12%	10%	22%	-
Extruded aluminum slats, 6 foot, backless, surface mount, 2 arms	13%	10%	23%	-
Extruded aluminum slats, 8 foot, backed, surface mount	8%	10%	18%	-
Extruded aluminum slats, 8 foot, backed, surface mount, 2 arms	9%	10%	19%	-
Extruded aluminum slats, 8 foot, backed, surface mount, 3 arms	9%	10%	19%	-
Extruded aluminum slats, 8 foot, backless, surface mount	12%	12%	24%	-
Extruded aluminum slats, 8 foot, backless, surface mount, 2 arms	12%	12%	24%	-
Extruded aluminum slats, 8 foot, backless, surface mount, 3 arms	13%	11%	24%	-

FSC License Code: FSC-C004453

Green Building Standards

<p>LEED® v3</p> <p><i>MR2: Construction Waste Management</i> – packaging is designed to be reusable or recyclable. See below for details.</p> <p><i>MR4: Recycled Content</i> – this product contains recycled material. Recycled content is shown above for all standard options.</p> <p><i>MR5: Regional Materials</i> – this product is manufactured in Pittsburgh, PA. Contact for details.</p> <p><i>MR7: Certified Wood</i> – Cumaru hardwood used in this product is certified FSC 100% by the Forest Stewardship Council (SCS-COC-001461).</p> <p><i>IEQp2: Environmental Tobacco</i> - this product may be used to help designate a smoking area away from doors, windows, and ventilation inlets.</p>
--

Green Building Standards continued

<p>LEED v4</p> <p><i>MRp2/MR5: Construction Waste Management</i> – packaging is designed to be reusable or recyclable. See below for details.</p> <p><i>MR3: Sourcing of Raw Matls. (wood)</i> – Cumaru hardwood used in this product is certified FSC 100% by the Forest Stewardship Council (SCS-COC-001461).</p> <p><i>(recycled content)</i> – this product contains recycled material. Recycled content is shown above for all standard options.</p> <p><i>(regional materials)</i> – this product is manufactured in Pittsburgh, PA. Contact for details.</p> <p><i>EQp2: Environmental tobacco smoke control</i> - this product may be used to help designate a smoking area away from doors, windows, & ventilation inlets.</p> <p><i>EQ2: Low-emitting Materials</i> – inherently non-emitting sources. Contact for details.</p>
<p>Green Globes™</p> <p>3.5.2.2 <i>Interior Fit-Outs</i> – Cumaru hardwood used in this product is certified FSC 100% by the Forest Stewardship Council (SCS-COC-001461).</p> <p>3.5.4.1 <i>Construction Waste</i> – packaging is designed to be reusable or recyclable. See below for details.</p> <p>3.5.6.3 <i>Deconstruction and Disassembly</i> – this product can be disassembled to separate recyclable components.</p> <p>3.7.2.1 <i>Volatile Organic Compounds</i> - inherently non-emitting sources. Contact for details.</p> <p>3.7.2.9 <i>Other Indoor Pollutants (Tobacco...)</i> - this product may be used to help designate a smoking area away from doors, windows, & ventilation inlets.</p>
<p>Estidama Pearl Rating System: Design & Construction, Version 1.0</p> <p><i>LBI-R2: Smoking Control</i> - this product may be used to help designate a smoking area away from doors, windows, and ventilation inlets.</p> <p><i>LBI-2.5: Material Emissions: Formaldehyde Reduction</i> – inherently non-emitting sources. Contact for details.</p> <p><i>SM-R1: Hazardous Material Elimination</i> – product contains no ACMs and no CCA-treated timber.</p> <p><i>SM-R2/SM-13: Construction Waste Management</i> - packaging is designed to be reusable or recyclable. See below for details.</p> <p><i>SM-10: Recycled Materials</i> - this product contains recycled material. Recycled content is shown above for all standard options.</p> <p><i>SM-12: Reused or Certified Timber</i> – Hardwood used in this product is certified FSC 100% by the Forest Stewardship Council (SCS-COC-001461).</p>
<p>SITES v2 Rating System</p> <p><i>Materials P5.1: Wood from threatened tree species</i> – Cumaru hardwood used in this product is certified FSC 100% by the Forest Stewardship Council (SCS-COC-001461).</p> <p><i>Materials C5.3: Design for adaptability and disassembly</i> - this product can be disassembled to separate recyclable components.</p> <p><i>Materials C5.5: Use recycled content materials</i> - this product contains recycled material. Recycled content is shown above for all standard options.</p> <p><i>Materials C5.6: Use regional materials</i> - this product is manufactured in Pittsburgh, PA. Contact for extraction information.</p> <p><i>Materials C5.7: Responsible extraction of raw materials</i> - Hardwood used in this product is certified FSC 100% by the Forest Stewardship Council (SCS-COC-001461).</p> <p><i>HHWB C6.10: Minimize exposure to environmental tobacco smoke (ETS)</i> - this product may be used to help designate a smoking area away from doors, windows, and ventilation inlets.</p> <p><i>Construction C7.5: Divert construction and demolition materials from disposal</i> - packaging is designed to be reusable or recyclable. See below for details.</p>

Product Materials

Material	Description	Maintenance (0-5)*	Inherent Value (0-5)**	Biodegradable	Corrosion/Wear Resistant	Rapidly Renewable	Recyclable	Scratch Resistant
Aluminum	Corrosion-resistant metal that is suitable for many fabrication methods.	3	3		x		x	

Product Materials continued

Material	Description	Maintenance (0-5)*	Inherent Value (0-5)**	Biodegradable	Corrosion/Wear Resistant	Rapidly Renewable	Recyclable	Scratch Resistant
Wood – Cumaru	Tropical hardwood valued for its appearance, strength, and high resistance to insects and decay. Native to Central and South America.	3	1	x			x	
Zinc	A durable, corrosion-resistant metal used in a variety of applications.	3	3		x		x	
*Maintenance ratings are assigned as follows: 0 – High level of maintenance required to keep up product performance and aesthetics; 5 – Absolutely no maintenance required to keep up product’s visual appearance and performance characteristics;								
**Inherent value ratings are assigned based on the material’s scrap value: 0 – No scrap value, or negative scrap value, and/or no scrap market; 5 – High scrap value, accompanied by robust scrap market								

Processes

Process	Description
Aluminum Making	A two-step process by which the aluminum is first dissolved in a caustic bath and then precipitated out in crystals. This two-step process can be circumvented by using recycled scrap that is melted down to form new parts.
Aluminum Treatment	Aluminum receives a treatment to improve corrosion resistance and coating adhesion.
Casting	The process of creating a solid object by pouring molten metal into a mold and allowing it to cool.
Cutting	A variety of methods may be used to cut through various materials.
Extruding	Process in which heated metal is pushed through a cross-sectional die to create a linear part with a specific shape.
Machining	A form of subtractive or additive manufacturing often requiring specialty tooling to physically remove or add material to achieve a desired geometry.
Metal Finishing	Applied using grinding/sanding wheels. Finishing produces a grained or brushed finish on the surface, and depending on the material will increase corrosion resistance.
Powdercoating	A solvent-free finishing method in which electrically charged particles of pigmented resins are sprayed onto a product. Electrical grounding of the coated object causes the charged powder to adhere to the surface. When baked in a curing oven the deposited powder melts and fuses together to form a durable, cross-linked coating.
Reclaimed Wood Processing	Nails and other fasteners are removed from wood beams and planks. Wood is cut to size and patches are applied to repair damage caused by fasteners. Finishes are applied to adjust the wood's color, enhance its appearance or to protect it from staining or weathering.
Sand Blasting	The process of smoothing, shaping and cleaning a hard surface by forcing solid particles across that surface at high speeds to provide an even finish.
Welding	A process that joins two similar metals by causing coalescence. Usually accomplished by melting the work pieces and adding a filler material to form a pool of molten metal that cools to become a strong joint.
Wood Finishing	Wood is cut and sanded smooth. Finishes are applied to adjust the wood's color, enhance its appearance or to protect it from staining or weathering.
Wood Processing	Wood milled from trees and turned into lumber.
Wood Reclamation	Wood is hand salvaged from old, neglected buildings.
Zinc Production	Zinc is roasted and sintered before being melted and cast into ingots through a metallurgical process.

Packaging Materials

Material	Type	Description	Disposal
Cardboard	Box	Small or light products are packaged in cardboard boxes. Reused for shipping.	Reuse/Recycle
Foam	Sheets	Micro foam sheets are used to protect the finish on products.	Reuse

Packaging Materials continued

Material	Type	Description	Disposal
Plastic	Band	Banding is used to keep products secured to a pallet during transport.	Recycle
Plastic	Shrink wrap	Shrink wrap is used to protect the finish on products and also to hold padding to products.	Recycle
Steel	Band	Banding is used to keep products secured to a pallet during transport.	Recycle
Wood	Crate	Wood crates are made to fit onsite and are reused when possible. Wood scraps are recycled into mulch.	Reuse/Recycle
Wood	Pallet	Used in shipping. Reused onsite until no longer serviceable, then recycled.	Reuse/Recycle

Transport

Method	Type	Description
Boat	Overseas	Some product components are shipped by cargo ship from overseas.
Ground	Truck/Rail	Some incoming shipments and almost all outgoing shipments to customers are sent via ground transportation. This can include truck and often rail transport depending on the final destination. We are an EPA SmartWay® Transport Partner.

Maintenance & Use

Maintenance or Use	Description	Chemicals Required
Clean with Water and Mild Cleaner	This product requires a damp cloth and a mild, nontoxic cleaner for maintenance.	Mild, water-based cleaner
Ergonomic	Product is designed for ergonomic use, which will contribute to service life.	N/A
Tobacco Smoke Control	This product may be used to help designate a smoking area away from doors, windows, and ventilation inlets.	N/A
Wood Finishing	Wood in this product can be allowed to weather, but must be refinished with wood oil to retain the original look.	Wood oil

Disposal

Method	Description
Biodegradable	Wood components of this product are biodegradable.
Disassemble	Product can be disassembled to separate recyclable components.
Recyclable - Fully	Product is fully recyclable.
Recycling - Scrap	Materials can be sold for scrap.
Reuse	This item can be reused in the same or different function.

SUMMARY- FSC 100% Cumaru hardwood slats, 6 foot

Category Type	Property/Component	Backed, no arms	Backed, 2 arms	Backless, no arms	Backless, 2 arms
Basic	Reclaimed material by weight of assembly	-	-	-	-
Basic	Post-Industrial Recycled Content	10%	11%	14%	15%
Basic	Post-Consumer Recycled Content	10%	10%	11%	11%
Basic	Total Recycled Content	20%	21%	25%	26%
Basic	3rd Party Cert	FSC 100%	FSC 100%	FSC 100%	FSC 100%
LEED v3	MR: Construction Waste Management	x	x	x	x
LEED v3	MR: Recycled Content	x	x	x	x
LEED v3	MR: Regional Materials	Contact	Contact	Contact	Contact
LEED v3	MR: Certified Wood	x	x	x	x
LEED v3	IEQ: Environmental Tobacco	x	x	x	x
LEED v4	MR: Construction Waste Management	x	x	x	x
LEED v4	MR: Sourcing of Raw Matls...wood	x	x	x	x
LEED v4	MR: Sourcing...recycled content	x	x	x	x
LEED v4	MR: Sourcing...regional materials	Contact	Contact	Contact	Contact
LEED v4	MR: Material Ingredients	Contact	Contact	Contact	Contact
LEED v4	EQ: Environmental tobacco smoke control	x	x	x	x

SUMMARY- FSC 100% Cumaru hardwood slats, 6 foot continued

Category Type	Property/Component	Backed, no arms	Backed, 2 arms	Backless, no arms	Backless, 2 arms
LEED v4	EQ: Low-emitting Materials	Contact	Contact	Contact	Contact
Green Globes	3.5.2.2 Interior Fit-Outs	x	x	x	x
Green Globes	3.5.4.1 Construction Waste	x	x	x	x
Green Globes	3.5.6.3 Deconstruction & Disassembly	x	x	x	x
Green Globes	3.7.2.1 Volatile Organic Compounds	Contact	Contact	Contact	Contact
Green Globes	3.7.2.9 Other Indoor Pollutants (Tobacco...)	x	x	x	x
ESTIDAMA	LBi: Smoking Control	x	x	x	x
ESTIDAMA	LBi: Material Emissions	Contact	Contact	Contact	Contact
ESTIDAMA	SM: Hazardous Material Elimination	x	x	x	x
ESTIDAMA	SM: Construction Waste Management	x	x	x	x
ESTIDAMA	SM: Reused or Certified Timber	x	x	x	x
SITES	Materials: Threatened tree species	x	x	x	x
SITES	Materials: Design for disassembly	x	x	x	x
SITES	Materials: Recycled content materials	x	x	x	x
SITES	Materials: Regional materials	Contact	Contact	Contact	Contact
SITES	Materials: Responsible extraction of mats	x	x	x	x
SITES	Materials: Transparency and safer chemistry	Contact	Contact	Contact	Contact
SITES	HHWB: Minimize exposure to ETS	x	x	x	x
SITES	Construction: Divert construction materials	x	x	x	x
Materials	Aluminum	x	x	x	x
Materials	Wood – cumaru	x	x	x	x
Processes	Aluminum Making	x	x	x	x
Processes	Aluminum Treatment	x	x	x	x
Processes	Casting	x	x	x	x
Processes	Cutting	x	x	x	x
Processes	Extruding	x	x	x	x
Processes	Machining	x	x	x	x
Processes	Metal Finishing	x	x	x	x
Processes	Powdercoating	x	x	x	x
Processes	Sand Blasting	x	x	x	x
Processes	Welding	x	x	x	x
Processes	Wood Finishing	x	x	x	x
Processes	Wood Processing	x	x	x	x
Packaging	Cardboard - Box	x	x	x	x
Packaging	Foam Sheets	x	x	x	x
Packaging	Plastic - Band	x	x	x	x
Packaging	Plastic – Shrink wrap	x	x	x	x
Packaging	Steel – Band	x	x	x	x
Packaging	Wood – Crate	x	x	x	x
Packaging	Wood – Pallet	x	x	x	x
Transport	Boat - Overseas	x	x	x	x
Transport	Ground – Truck/Rail	x	x	x	x
Maintenance & Use	Clean with Water and Mild Cleaner	x	x	x	x
Maintenance & Use	Ergonomic	x	x	x	x
Maintenance & Use	Tobacco Smoke Control	x	x	x	x
Maintenance & Use	Wood Finishing	x	x	x	x
Disposal	Biodegradable	x	x	x	x
Disposal	Disassemble	x	x	x	x
Disposal	Recyclable - Fully	x	x	x	x
Disposal	Recycling - Scrap	x	x	x	x
Disposal	Reuse	x	x	x	x

SUMMARY- FSC 100% Cumaru hardwood slats, 8 foot

Category Type	Property/Component	Backed, no arms	Backed, 2 arms	Backed, 3 arms	Backless, no arms	Backless, 2 arms	Backless, 3 arms
Basic	Reclaimed material by weight of assembly	-	-	-	-	-	-
Basic	Post-Industrial Recycled Content	9%	10%	10%	12%	14%	14%
Basic	Post-Consumer Recycled Content	11%	11%	11%	13%	12%	12%
Basic	Total Recycled Content	20%	21%	21%	25%	26%	26%
Basic	3rd Party Cert	FSC 100%	FSC 100%	FSC 100%	FSC 100%	FSC 100%	FSC 100%
LEED v3	MR: Construction Waste Management	x	x	x	x	x	x
LEED v3	MR: Recycled Content	x	x	x	x	x	x
LEED v3	MR: Regional Materials	Contact	Contact	Contact	Contact	Contact	Contact
LEED v3	MR: Certified Wood	x	x	x	x	x	x
LEED v3	IEQ: Environmental Tobacco	x	x	x	x	x	x
LEED v4	MR: Construction Waste Management	x	x	x	x	x	x
LEED v4	MR: Sourcing of Raw Matls...wood	x	x	x	x	x	x
LEED v4	MR: Sourcing...recycled content	x	x	x	x	x	x
LEED v4	MR: Sourcing...regional materials	Contact	Contact	Contact	Contact	Contact	Contact
LEED v4	MR: Material Ingredients	Contact	Contact	Contact	Contact	Contact	Contact
LEED v4	EQ: Environmental tobacco smoke control	x	x	x	x	x	x
LEED v4	EQ: Low-emitting Materials	Contact	Contact	Contact	Contact	Contact	Contact
Green Globes	3.5.2.2 Interior Fit-Outs	x	x	x	x	x	x
Green Globes	3.5.4.1 Construction Waste	x	x	x	x	x	x
Green Globes	3.5.6.3 Deconstruction & Disassembly	x	x	x	x	x	x
Green Globes	3.7.2.1 Volatile Organic Compounds	Contact	Contact	Contact	Contact	Contact	Contact
Green Globes	3.7.2.9 Other Indoor Pollutants (Tobacco...)	x	x	x	x	x	x
ESTIDAMA	LBI: Smoking Control	x	x	x	x	x	x
ESTIDAMA	LBI: Material Emissions	Contact	Contact	Contact	Contact	Contact	Contact
ESTIDAMA	SM: Hazardous Material Elimination	x	x	x	x	x	x
ESTIDAMA	SM: Construction Waste Management	x	x	x	x	x	x
ESTIDAMA	SM: Reused or Certified Timber	x	x	x	x	x	x
SITES	Materials: Threatened tree species	x	x	x	x	x	x
SITES	Materials: Design for disassembly	x	x	x	x	x	x
SITES	Materials: Recycled content materials	x	x	x	x	x	x
SITES	Materials: Regional materials	Contact	Contact	Contact	Contact	Contact	Contact
SITES	Materials: Responsible extraction of matls	x	x	x	x	x	x
SITES	Materials: Transparency and safer chemistry	Contact	Contact	Contact	Contact	Contact	Contact
SITES	HHWB: Minimize exposure to ETS	x	x	x	x	x	x
SITES	Construction: Divert construction materials	x	x	x	x	x	x
Materials	Aluminum	x	x	x	x	x	x
Materials	Wood – cumaru	x	x	x	x	x	x
Processes	Aluminum Making	x	x	x	x	x	x
Processes	Aluminum Treatment	x	x	x	x	x	x
Processes	Casting	x	x	x	x	x	x
Processes	Cutting	x	x	x	x	x	x
Processes	Extruding	x	x	x	x	x	x
Processes	Machining	x	x	x	x	x	x
Processes	Metal Finishing	x	x	x	x	x	x
Processes	Powdercoating	x	x	x	x	x	x
Processes	Sand Blasting	x	x	x	x	x	x
Processes	Welding	x	x	x	x	x	x
Processes	Wood Finishing	x	x	x	x	x	x
Processes	Wood Processing	x	x	x	x	x	x
Packaging	Cardboard - Box	x	x	x	x	x	x
Packaging	Foam Sheets	x	x	x	x	x	x
Packaging	Plastic - Band	x	x	x	x	x	x
Packaging	Plastic – Shrink wrap	x	x	x	x	x	x
Packaging	Steel – Band	x	x	x	x	x	x
Packaging	Wood – Crate	x	x	x	x	x	x
Packaging	Wood – Pallet	x	x	x	x	x	x
Transport	Boat - Overseas	x	x	x	x	x	x

SUMMARY- FSC 100% Cumaru hardwood slats, 8 foot continued

Category Type	Property/Component	Backed, no arms	Backed, 2 arms	Backed, 3 arms	Backless, no arms	Backless, 2 arms	Backless, 3 arms
Transport	Ground – Truck/Rail	x	x	x	x	x	x
Maintenance & Use	Clean with Water and Mild Cleaner	x	x	x	x	x	x
Maintenance & Use	Ergonomic	x	x	x	x	x	x
Maintenance & Use	Tobacco Smoke Control	x	x	x	x	x	x
Maintenance & Use	Wood Finishing	x	x	x	x	x	x
Disposal	Biodegradable	x	x	x	x	x	x
Disposal	Disassemble	x	x	x	x	x	x
Disposal	Recyclable - Fully	x	x	x	x	x	x
Disposal	Recycling - Scrap	x	x	x	x	x	x
Disposal	Reuse	x	x	x	x	x	x

SUMMARY- aluminum slats, 6 foot

Category Type	Property/Component	Backed, no arms	Backed, 2 arms	Backless, no arms	Backless, 2 arms
Basic	Reclaimed material by weight of assembly	-	-	-	-
Basic	Post-Industrial Recycled Content	9%	10%	12%	13%
Basic	Post-Consumer Recycled Content	8%	8%	10%	10%
Basic	Total Recycled Content	17%	18%	22%	23%
LEED v3	MR: Construction Waste Management	x	x	x	x
LEED v3	MR: Recycled Content	x	x	x	x
LEED v3	MR: Regional Materials	Contact	Contact	Contact	Contact
LEED v3	IEQ: Environmental Tobacco	x	x	x	x
LEED v4	MR: Construction Waste Management	x	x	x	x
LEED v4	MR: Sourcing...recycled content	x	x	x	x
LEED v4	MR: Sourcing...regional materials	Contact	Contact	Contact	Contact
LEED v4	MR: Material Ingredients	Contact	Contact	Contact	Contact
LEED v4	EQ: Environmental tobacco smoke control	x	x	x	x
LEED v4	EQ: Low-emitting Materials	Contact	Contact	Contact	Contact
Green Globes	3.5.4.1 Construction Waste	x	x	x	x
Green Globes	3.5.6.3 Deconstruction & Disassembly	x	x	x	x
Green Globes	3.7.2.1 Volatile Organic Compounds	Contact	Contact	Contact	Contact
Green Globes	3.7.2.9 Other Indoor Pollutants (Tobacco...)	x	x	x	x
ESTIDAMA	LBi: Smoking Control	x	x	x	x
ESTIDAMA	LBi: Material Emissions	Contact	Contact	Contact	Contact
ESTIDAMA	SM: Hazardous Material Elimination	x	x	x	x
ESTIDAMA	SM: Construction Waste Management	x	x	x	x
SITES	Materials: Design for disassembly	x	x	x	x
SITES	Materials: Recycled content materials	x	x	x	x
SITES	Materials: Regional materials	Contact	Contact	Contact	Contact

SUMMARY- aluminum slats, 6 foot continued

Category Type	Property/Component	Backed, no arms	Backed, 2 arms	Backless, no arms	Backless, 2 arms
SITES	Materials: Transparency and safer chemistry	Contact	Contact	Contact	Contact
SITES	HHWB: Minimize exposure to ETS	x	x	x	x
SITES	Construction: Divert construction materials	x	x	x	x
Materials	Aluminum	x	x	x	x
Materials	Zinc	x	x	x	x
Processes	Aluminum Making	x	x	x	x
Processes	Aluminum Treatment	x	x	x	x
Processes	Casting	x	x	x	x
Processes	Cutting	x	x	x	x
Processes	Extruding	x	x	x	x
Processes	Machining	x	x	x	x
Processes	Metal Finishing	x	x	x	x
Processes	Powdercoating	x	x	x	x
Processes	Sand Blasting	x	x	x	x
Processes	Welding	x	x	x	x
Processes	Zinc Production	x	x	x	x
Packaging	Cardboard - Box	x	x	x	x
Packaging	Foam Sheets	x	x	x	x
Packaging	Plastic - Band	x	x	x	x
Packaging	Plastic - Shrink wrap	x	x	x	x
Packaging	Steel - Band	x	x	x	x
Packaging	Wood - Crate	x	x	x	x
Packaging	Wood - Pallet	x	x	x	x
Transport	Boat - Overseas	x	x	x	x
Transport	Ground - Truck/Rail	x	x	x	x
Maintenance & Use	Clean with Water and Mild Cleaner	x	x	x	x
Maintenance & Use	Ergonomic	x	x	x	x
Maintenance & Use	Tobacco Smoke Control	x	x	x	x
Disposal	Disassemble	x	x	x	x
Disposal	Recyclable - Fully	x	x	x	x
Disposal	Recycling - Scrap	x	x	x	x
Disposal	Reuse	x	x	x	x

SUMMARY- aluminum slats, 8 foot

Category Type	Property/Component	Backed, no arms	Backed, 2 arms	Backed, 3 arms	Backless, no arms	Backless, 2 arms	Backless, 3 arms
Basic	Reclaimed material by weight of assembly	-	-	-	-	-	-
Basic	Post-Industrial Recycled Content	8%	9%	9%	12%	12%	13%
Basic	Post-Consumer Recycled Content	10%	10%	10%	12%	12%	11%
Basic	Total Recycled Content	18%	19%	19%	24%	24%	24%
LEED v3	MR: Construction Waste Management	x	x	x	x	x	x
LEED v3	MR: Recycled Content	x	x	x	x	x	x
LEED v3	MR: Regional Materials	Contact	Contact	Contact	Contact	Contact	Contact
LEED v3	IEQ: Environmental Tobacco	x	x	x	x	x	x
LEED v4	MR: Construction Waste Management	x	x	x	x	x	x
LEED v4	MR: Sourcing...recycled content	x	x	x	x	x	x
LEED v4	MR: Sourcing...regional materials	Contact	Contact	Contact	Contact	Contact	Contact
LEED v4	MR: Material Ingredients	Contact	Contact	Contact	Contact	Contact	Contact
LEED v4	EQ: Environmental tobacco smoke control	x	x	x	x	x	x
LEED v4	EQ: Low-emitting Materials	Contact	Contact	Contact	Contact	Contact	Contact
Green Globes	3.5.4.1 Construction Waste	x	x	x	x	x	x
Green Globes	3.5.6.3 Deconstruction & Disassembly	x	x	x	x	x	x
Green Globes	3.7.2.1 Volatile Organic Compounds	Contact	Contact	Contact	Contact	Contact	Contact
Green Globes	3.7.2.9 Other Indoor Pollutants (Tobacco...)	x	x	x	x	x	x
ESTIDAMA	LBI: Smoking Control	x	x	x	x	x	x
ESTIDAMA	LBI: Material Emissions	Contact	Contact	Contact	Contact	Contact	Contact

SUMMARY- aluminum slats, 8 foot continued

Category Type	Property/Component	Backed, no arms	Backed, 2 arms	Backed, 3 arms	Backless, no arms	Backless, 2 arms	Backless, 3 arms
ESTIDAMA	SM: Hazardous Material Elimination	x	x	x	x	x	x
ESTIDAMA	SM: Construction Waste Management	x	x	x	x	x	x
SITES	Materials: Design for disassembly	x	x	x	x	x	x
SITES	Materials: Recycled content materials	x	x	x	x	x	x
SITES	Materials: Regional materials	Contact	Contact	Contact	Contact	Contact	Contact
SITES	Materials: Transparency and safer chemistry	Contact	Contact	Contact	Contact	Contact	Contact
SITES	HHWB: Minimize exposure to ETS	x	x	x	x	x	x
SITES	Construction: Divert construction materials	x	x	x	x	x	x
Materials	Aluminum	x	x	x	x	x	x
Materials	Zinc	x	x	x	x	x	x
Processes	Aluminum Making	x	x	x	x	x	x
Processes	Aluminum Treatment	x	x	x	x	x	x
Processes	Casting	x	x	x	x	x	x
Processes	Cutting	x	x	x	x	x	x
Processes	Extruding	x	x	x	x	x	x
Processes	Machining	x	x	x	x	x	x
Processes	Metal Finishing	x	x	x	x	x	x
Processes	Powdercoating	x	x	x	x	x	x
Processes	Sand Blasting	x	x	x	x	x	x
Processes	Welding	x	x	x	x	x	x
Processes	Zinc Production	x	x	x	x	x	x
Packaging	Cardboard - Box	x	x	x	x	x	x
Packaging	Foam Sheets	x	x	x	x	x	x
Packaging	Plastic - Band	x	x	x	x	x	x
Packaging	Plastic - Shrink wrap	x	x	x	x	x	x
Packaging	Steel - Band	x	x	x	x	x	x
Packaging	Wood - Crate	x	x	x	x	x	x
Packaging	Wood - Pallet	x	x	x	x	x	x
Transport	Boat - Overseas	x	x	x	x	x	x
Transport	Ground - Truck/Rail	x	x	x	x	x	x
Maintenance & Use	Clean with Water and Mild Cleaner	x	x	x	x	x	x
Maintenance & Use	Ergonomic	x	x	x	x	x	x
Maintenance & Use	Tobacco Smoke Control	x	x	x	x	x	x
Disposal	Disassemble	x	x	x	x	x	x
Disposal	Recyclable - Fully	x	x	x	x	x	x
Disposal	Recycling - Scrap	x	x	x	x	x	x
Disposal	Reuse	x	x	x	x	x	x

Forms+Surfaces is dedicated to environmental responsibility. We maintain an Environmental Management System and are continually working to improve our impact through efficiency, material selection, vendor education, employee involvement, and an unwavering commitment to being exemplary corporate citizens. If you would like additional information on our Environmental Management System or if you don't see the information you need for your project on this page, please contact our Sustainability Team at green@forms-surfaces.com.