

Pacifica Bench is ergonomic, low maintenance, recyclable and easy to disassemble. The frame is comprised of 100% recyclable carbon steel with a zinc coating and powdercoat finish, for the ultimate in corrosion resistance. Powdercoat finishes are no- or low-VOC. The seat slats are available in FSC 100% Jatoba hardwood, an incredibly strong hardwood that is highly resistant to moisture, insects, fire and vandalism. FSC 100% means that 100% of the wood is responsibly sourced from forests certified by the Forest Stewardship Council, which is recognized as the gold standard of forest management.

**Recycled Content & Certifications**

<b>Configurations</b>	<b>Post-Industrial Recycled Content</b>	<b>Post-Consumer Recycled Content</b>	<b>Total Recycled Content</b>	<b>3<sup>rd</sup> Party Certifications</b>
Pacifica Bench, FSC 100% Jatoba hardwood slats, 8 foot, full back, no arms	0%	12%	12%	FSC 100%
Pacifica Bench, FSC 100% Jatoba hardwood slats, 8 foot, short back, no arms	0%	13%	13%	FSC 100%
Pacifica Bench, FSC 100% Jatoba hardwood slats, 8 foot, backless, no arms	0%	14%	14%	FSC 100%
Pacifica Bench, FSC 100% Jatoba hardwood slats, 8 foot, full back, 2 arms	0%	13%	13%	FSC 100%
Pacifica Bench, FSC 100% Jatoba hardwood slats, 8 foot, short back, 2 arms	0%	14%	14%	FSC 100%
Pacifica Bench, FSC 100% Jatoba hardwood slats, 8 foot, backless, 2 arms	0%	14%	14%	FSC 100%
Pacifica Bench, FSC 100% Jatoba hardwood slats, 12 foot, full back, no arms	0%	12%	12%	FSC 100%
Pacifica Bench, FSC 100% Jatoba hardwood slats, 12 foot, short back, no arms	0%	13%	13%	FSC 100%
Pacifica Bench, FSC 100% Jatoba hardwood slats, 12 foot, backless, no arms	0%	13%	13%	FSC 100%
Pacifica Bench, FSC 100% Jatoba hardwood slats, 12 foot, full back, 2 arms	0%	13%	13%	FSC 100%
Pacifica Bench, FSC 100% Jatoba hardwood slats, 12 foot, short back, 2 arms	0%	13%	13%	FSC 100%
Pacifica Bench, FSC 100% Jatoba hardwood slats, 12 foot, backless, 2 arms	0%	14%	14%	FSC 100%
Pacifica Bench, FSC 100% Jatoba hardwood slats, 12 foot, full back, 3 arms	0%	13%	13%	FSC 100%
Pacifica Bench, FSC 100% Jatoba hardwood slats, 12 foot, short back, 3 arms	0%	14%	14%	FSC 100%
Pacifica Bench, FSC 100% Jatoba hardwood slats, 12 foot, backless, 3 arms	0%	14%	14%	FSC 100%

FSC License Code: FSC-C004453

**Green Building Standards**

<b>LEED® v3</b>
<i>MR2: Construction Waste Management</i> – packaging is designed to be reusable or recyclable. See below for details.
<i>MR4: Recycled Content</i> – this product contains recycled material. Recycled content is shown above for all standard options.
<i>MR5: Regional Materials</i> – this product is manufactured in Pittsburgh, PA. Contact for details.
<i>MR7: Certified Wood</i> – hardwood used in this product is certified FSC 100% by the Forest Stewardship Council (SCS-COC-001461).
<i>IEQp2: Environmental Tobacco</i> - this product may be used to help designate a smoking area away from doors, windows, and ventilation inlets.
<b>LEED v4</b>
<i>MRp2/MR5: Construction Waste Management</i> – packaging is designed to be reusable or recyclable. See below for details.
<i>MR3: Sourcing of Raw Matls. (wood)</i> – hardwood used in this product is certified FSC 100% by the Forest Stewardship Council (SCS-COC-001461). <i>(recycled content)</i> – this product contains recycled material. Recycled content is shown above for all standard options. <i>(regional materials)</i> – this product is manufactured in Pittsburgh, PA. Contact for details.
<i>MR4: Material Ingredients</i> – this product has a Health Product Declaration. Contact for details.
<i>EQp2: Environmental tobacco smoke control</i> - this product may be used to help designate a smoking area away from doors, windows, & ventilation inlets.
<i>EQ2: Low-emitting Materials</i> – inherently non-emitting sources. Contact for details.
<b>Green Globes™</b>
<i>3.5.2.2 Interior Fit-Outs</i> – hardwood used in this product is certified FSC 100% by the Forest Stewardship Council (SCS-COC-001461).
<i>3.5.4.1 Construction Waste</i> – packaging is designed to be reusable or recyclable. See below for details.

**Green Building Standards continued**

<b>Green Globes™</b>
3.5.6.3 <i>Deconstruction and Disassembly</i> – this product can be disassembled to separate recyclable components.
3.7.2.1 <i>Volatile Organic Compounds</i> - inherently non-emitting sources. Contact for details.
3.7.2.9 <i>Other Indoor Pollutants (Tobacco...)</i> - this product may be used to help designate a smoking area away from doors, windows, & ventilation inlets.
<b>Estidama Pearl Rating System: Design &amp; Construction, Version 1.0</b>
<i>LBi-R2: Smoking Control</i> - this product may be used to help designate a smoking area away from doors, windows, and ventilation inlets.
<i>LBi-2.5: Material Emissions: Formaldehyde Reduction</i> – inherently non-emitting sources. Contact for details.
<i>SM-R1: Hazardous Material Elimination</i> – product contains no ACMs and no CCA-treated timber.
<i>SM-R2/SM-13: Construction Waste Management</i> - packaging is designed to be reusable or recyclable. See below for details.
<i>SM-12: Reused or Certified Timber</i> – hardwood used in this product is certified FSC 100% by the Forest Stewardship Council (SCS-COC-001461).
<b>SITES v2 Rating System</b>
<i>Materials P5.1: Threatened tree species</i> – hardwood used in this product is certified FSC 100% by the Forest Stewardship Council (SCS-COC-001461).
<i>Materials C5.3: Design for adaptability and disassembly</i> - this product can be disassembled to separate recyclable components.
<i>Materials C5.5: Use recycled content materials</i> - this product contains recycled material. Recycled content is shown above for all standard options.
<i>Materials C5.6: Use regional materials</i> - this product is manufactured in Pittsburgh, PA. Contact for extraction information.
<i>Materials C5.7: Responsible extraction of raw materials</i> - hardwood used in this product is certified FSC 100% by the Forest Stewardship Council (SCS-COC-001461).
<i>Materials C5.8: Support transparency and safer chemistry</i> - this product has a Health Product Declaration. Contact for details.
<i>HHWB C6.10: Minimize exposure to environmental tobacco smoke (ETS)</i> - this product may be used to help designate a smoking area away from doors, windows, and ventilation inlets.
<i>Construction C7.5: Divert construction and demolition materials from disposal</i> - packaging is designed to be reusable or recyclable. See below for details.

**Product Materials**

Material	Description	Maintenance (0-5)*	Inherent Value (0-5)**	Biodegradable	Corrosion/Wear Resistant	Rapidly Renewable	Recyclable	Scratch Resistant
Steel	Plain steel that is alloyed primarily with carbon in varying concentrations. Requires a secondary finish coating for corrosion-resistance.	3	3				x	
Wood – Jatoba	Tropical hardwood valued for its appearance, strength, and high resistance to insects and decay. Native to Central and South America.	3	1	x			x	
*Maintenance ratings are assigned as follows: 0 – High level of maintenance required to keep up product performance and aesthetics; 5 – Absolutely no maintenance required to keep up product’s visual appearance and performance characteristics;								
**Inherent value ratings are assigned based on the material’s scrap value: 0 – No scrap value, or negative scrap value, and/or no scrap market; 5 – High scrap value, accompanied by robust scrap market								

**Processes**

Process	Description
Cutting	A variety of methods may be used to cut through various materials.
Forming	A mechanical process used to alter the shape of metal.
Powdercoating	A solvent-free finishing method in which electrically charged particles of pigmented resins are sprayed onto a product. Electrical grounding of the coated object causes the charged powder to adhere to the surface. When baked in a curing oven the deposited powder melts and fuses together to form a durable, cross-linked coating.
Steel Making	Steel and stainless steel are made in one of two types of furnace: a Basic Oxygen Furnace (BOF) or an Electric Arc Furnace (EAF). A BOF is used to make steel from iron ore or from scrap steel; an EAF is used primarily to reprocess scrap steel.

**Processes continued**

Process	Description
Welding	A process that joins two similar metals by causing coalescence. Usually accomplished by melting the work pieces and adding a filler material to form a pool of molten metal that cools to become a strong joint.
Wood Finishing	Wood is cut and sanded smooth. Finishes are applied to adjust the wood's color, enhance its appearance or to protect it from staining or weathering.
Wood Processing	Wood milled from trees and turned into lumber.
Zinc Plating	Material is dipped into a solution and coated using an electronic charge; yellow zinc is applied to the surface to increase corrosion resistance.

**Packaging Materials**

Material	Type	Description	Disposal
Cardboard	Box	Small or light products are packaged in cardboard boxes. Reused for shipping.	Reuse/Recycle
Foam	Sheets	Micro foam sheets are used to protect the finish on products.	Reuse
Plastic	Band	Banding is used to keep products secured to a pallet during transport.	Recycle
Plastic	Shrink wrap	Shrink wrap is used to protect the finish on products and also to hold padding to products.	Recycle
Steel	Band	Banding is used to keep products secured to a pallet during transport.	Recycle
Wood	Crate	Wood crates are made to fit onsite and are reused when possible. Wood scraps are recycled into mulch.	Reuse/Recycle
Wood	Pallet	Used in shipping. Reused onsite until no longer serviceable, then recycled.	Reuse/Recycle

**Transport**

Method	Type	Description
Boat	Overseas	Some product components are shipped by cargo ship from overseas.
Ground	Truck/Rail	Some incoming shipments and almost all outgoing shipments to customers are sent via ground transportation. This can include truck and often rail transport depending on the final destination. We are an EPA SmartWay® Transport Partner.

**Maintenance & Use**

Maintenance or Use	Description	Chemicals Required
Clean with Water and Mild Cleaner	This product requires a damp cloth and a mild, nontoxic cleaner for maintenance.	Mild, water-based cleaner
Ergonomic	Product is designed for ergonomic use, which will contribute to service life.	N/A
Tobacco Smoke Control	This product may be used to help designate a smoking area away from doors, windows, and ventilation inlets.	N/A
Wood Finishing	Wood in this product can be allowed to weather, but must be refinished with wood oil to retain the original look.	Wood oil

**Disposal**

Method	Description
Biodegradable	Wood components of this product are biodegradable.
Disassemble	Product can be disassembled to separate recyclable components.
Recyclable - Fully	Product is fully recyclable.
Recycling - Scrap	Materials can be sold for scrap.
Reuse	This item can be reused in the same or different function.

**SUMMARY- FSC 100% Jatoba hardwood slats, 8 foot**

Category Type	Property/Component	Full back, no arms	Short back, no arms	Backless, no arms	Full back, 2 arms	Short back, 2 arms	Backless, 2 arms
Basic	Post-Industrial Recycled Content	0%	0%	0%	0%	0%	0%
Basic	Post-Consumer Recycled Content	12%	13%	14%	13%	14%	14%
Basic	Total Recycled Content	12%	13%	14%	13%	14%	14%
Basic	3rd Party Cert	FSC 100%	FSC 100%	FSC 100%	FSC 100%	FSC 100%	FSC 100%
LEED v3	MR: Construction Waste Management	x	x	x	x	x	x
LEED v3	MR: Recycled Content	x	x	x	x	x	x
LEED v3	MR: Regional Materials	Contact	Contact	Contact	Contact	Contact	Contact
LEED v3	MR: Certified Wood	x	x	x	x	x	x
LEED v3	IEQ: Environmental Tobacco	x	x	x	x	x	x
LEED v4	MR: Construction Waste Management	x	x	x	x	x	x
LEED v4	MR: Sourcing of Raw Mats...wood	x	x	x	x	x	x
LEED v4	MR: Sourcing...recycled content	x	x	x	x	x	x
LEED v4	MR: Sourcing...regional materials	Contact	Contact	Contact	Contact	Contact	Contact
LEED v4	MR: Material Ingredients	Contact	Contact	Contact	Contact	Contact	Contact
LEED v4	EQ: Environmental tobacco smoke control	x	x	x	x	x	x
LEED v4	EQ: Low-emitting Materials	Contact	Contact	Contact	Contact	Contact	Contact
Green Globes	3.5.2.2 Interior Fit-Outs	x	x	x	x	x	x
Green Globes	3.5.4.1 Construction Waste	x	x	x	x	x	x
Green Globes	3.5.6.3 Deconstruction & Disassembly	x	x	x	x	x	x
Green Globes	3.7.2.1 Volatile Organic Compounds	Contact	Contact	Contact	Contact	Contact	Contact
Green Globes	3.7.2.9 Other Indoor Pollutants (Tobacco...)	x	x	x	x	x	x
ESTIDAMA	LBI: Smoking Control	x	x	x	x	x	x
ESTIDAMA	LBI: Material Emissions	Contact	Contact	Contact	Contact	Contact	Contact
ESTIDAMA	SM: Hazardous Material Elimination	x	x	x	x	x	x
ESTIDAMA	SM: Construction Waste Management	x	x	x	x	x	x
ESTIDAMA	SM: Reused or Certified Timber	x	x	x	x	x	x
SITES	Materials: Threatened tree species	x	x	x	x	x	x
SITES	Materials: Design for disassembly	x	x	x	x	x	x
SITES	Materials: Recycled content materials	x	x	x	x	x	x
SITES	Materials: Regional materials	Contact	Contact	Contact	Contact	Contact	Contact
SITES	Materials: Responsible extraction of mats	x	x	x	x	x	x
SITES	Materials: Transparency and safer chemistry	Contact	Contact	Contact	Contact	Contact	Contact
SITES	HHWB: Minimize exposure to ETS	x	x	x	x	x	x
SITES	Construction: Divert construction materials	x	x	x	x	x	x
Materials	Steel	x	x	x	x	x	x
Materials	Wood – Jatoba	x	x	x	x	x	x
Processes	Cutting	x	x	x	x	x	x
Processes	Forming	x	x	x	x	x	x
Processes	Powdercoating	x	x	x	x	x	x
Processes	Steel Making	x	x	x	x	x	x
Processes	Welding	x	x	x	x	x	x
Processes	Wood Finishing	x	x	x	x	x	x
Processes	Wood Processing	x	x	x	x	x	x
Processes	Zinc Plating	x	x	x	x	x	x
Packaging	Cardboard - Box	x	x	x	x	x	x
Packaging	Foam Sheets	x	x	x	x	x	x
Packaging	Plastic - Band	x	x	x	x	x	x
Packaging	Plastic – Shrink wrap	x	x	x	x	x	x
Packaging	Steel – Band	x	x	x	x	x	x
Packaging	Wood – Crate	x	x	x	x	x	x

**SUMMARY- FSC 100% Jatoba hardwood slats, 8 foot continued**

Category Type	Property/Component	Full back, no arms	Short back, no arms	Backless, no arms	Full back, 2 arms	Short back, 2 arms	Backless, 2 arms
Packaging	Wood – Pallet	x	x	x	x	x	x
Transport	Boat - Overseas	x	x	x	x	x	x
Transport	Ground – Truck/Rail	x	x	x	x	x	x
Maintenance & Use	Clean with Water and Mild Cleaner	x	x	x	x	x	x
Maintenance & Use	Ergonomic	x	x	x	x	x	x
Maintenance & Use	Tobacco Smoke Control	x	x	x	x	x	x
Maintenance & Use	Wood Finishing	x	x	x	x	x	x
Disposal	Biodegradable	x	x	x	x	x	x
Disposal	Disassemble	x	x	x	x	x	x
Disposal	Recyclable - Fully	x	x	x	x	x	x
Disposal	Recycling - Scrap	x	x	x	x	x	x
Disposal	Reuse	x	x	x	x	x	x

**SUMMARY- FSC 100% Jatoba hardwood slats, 12 foot**

Category Type	Property/Component	Full back, no arms	Short back, no arms	Backless, no arms	Full back, 2 arms	Short back, 2 arms	Backless, 2 arms	Full back, 3 arms	Short back, 3 arms	Backless, 3 arms
Basic	Post-Industrial Recycled Content	0%	0%	0%	0%	0%	0%	0%	0%	0%
Basic	Post-Consumer Recycled Content	12%	13%	13%	13%	13%	14%	13%	14%	14%
Basic	Total Recycled Content	12%	13%	13%	13%	13%	14%	13%	14%	14%
Basic	3rd Party Cert	FSC 100%	FSC 100%	FSC 100%	FSC 100%	FSC 100%	FSC 100%	FSC 100%	FSC 100%	FSC 100%
LEED v3	MR: Construction Waste Management	x	x	x	x	x	x	x	x	x
LEED v3	MR: Recycled Content	x	x	x	x	x	x	x	x	x
LEED v3	MR: Regional Materials	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact
LEED v3	MR: Certified Wood	x	x	x	x	x	x	x	x	x
LEED v3	IEQ: Environmental Tobacco	x	x	x	x	x	x	x	x	x
LEED v4	MR: Construction Waste Management	x	x	x	x	x	x	x	x	x
LEED v4	MR: Sourcing of Raw Matls...wood	x	x	x	x	x	x	x	x	x
LEED v4	MR: Sourcing...recycled content	x	x	x	x	x	x	x	x	x
LEED v4	MR: Sourcing...regional materials	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact
LEED v4	MR: Material Ingredients	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact
LEED v4	EQ: Environmental tobacco smoke control	x	x	x	x	x	x	x	x	x
LEED v4	EQ: Low-emitting Materials	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact
Green Globes	3.5.2.2 Interior Fit-Outs	x	x	x	x	x	x	x	x	x
Green Globes	3.5.4.1 Construction Waste	x	x	x	x	x	x	x	x	x
Green Globes	3.5.6.3 Deconstruction & Disassembly	x	x	x	x	x	x	x	x	x
Green Globes	3.7.2.1 Volatile Organic Compounds	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact
Green Globes	3.7.2.9 Other Indoor Pollutants (Tobacco...)	x	x	x	x	x	x	x	x	x
ESTIDAMA	LBi: Smoking Control	x	x	x	x	x	x	x	x	x
ESTIDAMA	LBi: Material Emissions	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact
ESTIDAMA	SM: Hazardous Material Elimination	x	x	x	x	x	x	x	x	x
ESTIDAMA	SM: Construction Waste Management	x	x	x	x	x	x	x	x	x
ESTIDAMA	SM: Reused or Certified Timber	x	x	x	x	x	x	x	x	x
SITES	Materials: Threatened tree species	x	x	x	x	x	x	x	x	x
SITES	Materials: Design for disassembly	x	x	x	x	x	x	x	x	x
SITES	Materials: Recycled content materials	x	x	x	x	x	x	x	x	x
SITES	Materials: Regional materials	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact
SITES	Materials: Responsible extraction of matls	x	x	x	x	x	x	x	x	x
SITES	Materials: Transparency and safer chemistry	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact
SITES	HHWB: Minimize exposure to ETS	x	x	x	x	x	x	x	x	x

**SUMMARY- FSC 100% Jatoba hardwood slats, 12 foot continued**

Category Type	Property/Component	Full back, no arms	Short back, no arms	Back-less, no arms	Full back, 2 arms	Short back, 2 arms	Back-less, 2 arms	Full back, 3 arms	Short back, 3 arms	Back-less, 3 arms
SITES	Construction: Divert construction materials	x	x	x	x	x	x	x	x	x
Materials	Steel	x	x	x	x	x	x	x	x	x
Materials	Wood – Jatoba	x	x	x	x	x	x	x	x	x
Processes	Cutting	x	x	x	x	x	x	x	x	x
Processes	Forming	x	x	x	x	x	x	x	x	x
Processes	Powdercoating	x	x	x	x	x	x	x	x	x
Processes	Steel Making	x	x	x	x	x	x	x	x	x
Processes	Welding	x	x	x	x	x	x	x	x	x
Processes	Wood Finishing	x	x	x	x	x	x	x	x	x
Processes	Wood Processing	x	x	x	x	x	x	x	x	x
Processes	Zinc Plating	x	x	x	x	x	x	x	x	x
Packaging	Cardboard - Box	x	x	x	x	x	x	x	x	x
Packaging	Foam Sheets	x	x	x	x	x	x	x	x	x
Packaging	Plastic - Band	x	x	x	x	x	x	x	x	x
Packaging	Plastic – Shrink wrap	x	x	x	x	x	x	x	x	x
Packaging	Steel – Band	x	x	x	x	x	x	x	x	x
Packaging	Wood – Crate	x	x	x	x	x	x	x	x	x
Packaging	Wood – Pallet	x	x	x	x	x	x	x	x	x
Transport	Boat - Overseas	x	x	x	x	x	x	x	x	x
Transport	Ground – Truck/Rail	x	x	x	x	x	x	x	x	x
Maintenance & Use	Clean with Water and Mild Cleaner	x	x	x	x	x	x	x	x	x
Maintenance & Use	Ergonomic	x	x	x	x	x	x	x	x	x
Maintenance & Use	Tobacco Smoke Control	x	x	x	x	x	x	x	x	x
Maintenance & Use	Wood Finishing	x	x	x	x	x	x	x	x	x
Disposal	Biodegradable	x	x	x	x	x	x	x	x	x
Disposal	Disassemble	x	x	x	x	x	x	x	x	x
Disposal	Recyclable - Fully	x	x	x	x	x	x	x	x	x
Disposal	Recycling - Scrap	x	x	x	x	x	x	x	x	x
Disposal	Reuse	x	x	x	x	x	x	x	x	x

Forms+Surfaces is dedicated to environmental responsibility. We maintain an Environmental Management System and are continually working to improve our impact through efficiency, material selection, vendor education, employee involvement, and an unwavering commitment to being exemplary corporate citizens. If you would like additional information on our Environmental Management System or our company environmental initiatives and policies, please feel free to contact our Sustainability Team at [green@forms-surfaces.com](mailto:green@forms-surfaces.com).