Triad Litter & Recycling Receptacles are ergonomic, low maintenance and easy to disassemble. The body is made of stainless steel with a high recycled content and all materials are 100% recyclable. Receptacles can be customized to fit local waste and recycling streams.

Recycled Content & Certifications

Configurations	Post- Industrial Recycled Content	Post- Consumer Recycled Content	Total Recycled Content	3 rd Party Certifications
Triad Receptacle, 16-gallon, Sandstone, Linen or Diamond finish	0%	58%	58%	-
Triad Receptacle, 16-gallon, Satin finish	49%	0%	49%	-
Triad Receptacle, 24-gallon, Sandstone, Linen or Diamond finish	0%	58%	58%	-
Triad Receptacle, 24-gallon, Satin finish	49%	0%	49%	-

Green Building Standards

LEED[®] v3 MRp2: Storage & Collection of Recyclables - litter & recycling receptacles can be customized to fit local waste & recycling streams. MR2: Construction Waste Management - packaging is designed to be reusable or recyclable. See below for details. MR4: Recycled Content - this product contains recycled material. Contact for details. MR5: Regional Materials - this product is manufactured in Pittsburgh, PA. Contact for details. LEED v4 MRp1: Storage & Collection of Recyclables - litter & recycling receptacles can be customized to fit local waste & recycling streams. MRp2/MR5: Construction Waste Management - packaging is designed to be reusable or recyclable. See below for details. MR3: Sourcing of Raw Materials (recycled content) – this product contains recycled material. Contact for details. (regional materials) - this product is manufactured in Pittsburgh, PA. Contact for details. MR4: Material Ingredients - this product has a Health Product Declaration. Contact for details. EQ2: Low-emitting Materials - inherently non-emitting sources. Contact for details. Green Globes™ 3.5.4.1 Construction Waste - packaging is designed to be reusable or recyclable. See below for details. 3.5.4.2 Operational Waste - litter & recycling receptacles can be customized to fit local waste & recycling streams. 3.5.6.3 Deconstruction and Disassembly - this product can be disassembled to separate recyclable components. 3.7.2.1 Volatile Organic Compounds - inherently non-emitting sources. Contact for details. Estidama Pearl Rating System: Design & Construction, Version 1.0 LBi-2.5: Material Emissions: Formaldehyde Reduction - inherently non-emitting sources. Contact for details. SM-R1: Hazardous Material Elimination - product contains no ACMs and no CCA-treated timber. SM-R2/SM-13: Construction Waste Management - packaging is designed to be reusable or recyclable. See below for details. SM-R3/SM-14: Operational Waste Management - litter & recycling receptacles can be customized to fit local waste & recycling streams. SITES v2 Rating System Materials C5.3: Design for adaptability and disassembly - this product can be disassembled to separate recyclable components. Materials C5.5: Use recycled content materials - this product contains recycled material. Contact for details. Materials C5.6: Use regional materials - this product is manufactured in Pittsburgh, PA. Contact for extraction information. Materials C5.8: Support transparency and safer chemistry - this product has a Health Product Declaration. Contact for details. Construction C7.5: Divert construction and demolition materials from disposal - packaging is designed to be reusable or recyclable. See below for details. O+M P8.2: Storage and collection of recyclables- litter & recycling receptacles can be customized to fit local waste & recycling streams. O+M P8.3: Recycle organic matter- litter & recycling receptacles can be customized to fit local waste & recycling streams.

FORMS+SURFACES®

Product Materials

Material	Description	Mainte- nance (0-5)*	Inherent Value (0-5)**	Biodegrad- able	Corrosion/ Wear Resistant	Rapidly Renewable	Recyclable	Scratch Resistant
Polycarbonate	Thermoplastic, petroleum-based polymer often used as a substitute for glass because of its high-impact strength, temperature-resistance and optical qualities.	4	0		x		x	
Polyethylene	Thermoplastic, petroleum-based polymer, used for a broad range of molded and extruded products.	4	0		х		x	
Stainless Steel Steel that is alloyed with chromium and other metals to improve corrosion-resistance.		3	4		х		x	
Stainless Steel – HDSteel that is alloyed with chromium and other metals to improve corrosion-resistance. High-Durability finishes are manufactured in a process that creates a work-hardened surface with enhanced resistance to abrasion and wear.		3	4		x		x	x
*Maintenance ratings are assigned as follows: 0 – High level of maintenance required to keep up product performance and aesthetics; 5 – Absolutely no maintenance required to keep up product's visual appearance and performance characteristics;								
**Inherent value ratings are assigned based on the material's scrap value: 0 – No scrap value, or negative scrap value, and/or no scrap market; 5 – High scrap value, accompanied by robust scrap market								

Processes

Process	Description
Calendaring	Metalworking process in which sheet metal is rolled out at room temperature, changing the molecular structure to make it harder and more resistant to scratching.
Cutting	A variety of methods may be used to cut through various materials.
Digital UV Printing	A printing method in which a digital based image is printed directly to a variety of media with ultraviolet ink.
Forming	A mechanical process used to alter the shape of metal.
Metal Finishing	Applied using grinding/sanding or polishing wheels. Finishing produces a grained/brushed or mirror-like finish on the surface, and depending on the material will increase corrosion resistance.
Plastics Manufacture	Plastic is the common term for a wide range of synthetic or semi-synthetic organic solid materials used in industrial applications. Plastics are typically polymers of high molecular weight, and may contain other substances to improve performance or reduce costs.
Steel Making	Steel and stainless steel are made in one of two types of furnace: a Basic Oxygen Furnace (BOF) or an Electric Arc Furnace (EAF). A BOF is used to make steel from iron ore or from scrap steel; an EAF is used primarily to reprocess scrap steel.
Welding	A process that joins two similar metals by causing coalescence. Usually accomplished by melting the work pieces and adding a filler material to form a pool of molten metal that cools to become a strong joint.

Packaging Materials

Material	Туре	Description	Disposal
Cardboard	Box	Small or light products are packaged in cardboard boxes. Reused for shipping.	Reuse/Recycle
Foam	Sheets	Micro foam sheets are used to protect the finish on products.	Reuse
Plastic	Band	Banding is used to keep products secured to a pallet during transport.	Recycle
Plastic	Shrink wrap	Shrink wrap is used to protect the finish on products and also to hold padding to products.	Recycle
Steel	Band	Banding is used to keep products secured to a pallet during transport.	Recycle
Wood	Pallet	Used in shipping. Reused onsite until no longer serviceable, then recycled.	Reuse/Recycle

T 800.451.0410 | www.forms-surfaces.com

FORMS+SURFACES®

Transport

Method	Туре	Description
Boat	Overseas	Some product components are shipped by cargo ship from overseas.
Ground	Truck/Rail	Some incoming shipments and almost all outgoing shipments to customers are sent via ground transportation. This can include truck and often rail transport depending on the final destination. We are an EPA SmartWay [®] Transport Partner.

Maintenance & Use

Maintenance or Use	Description	Chemicals Required
Clean with Water and Mild Cleaner	This product requires a damp cloth and a mild, nontoxic cleaner for maintenance.	Mild, water-based cleaner
Ergonomic	Product is designed for ergonomic use, which will contribute to service life.	NA
Recycling	Receptacle is designed to maximize recycling rates through design, graphics, and signage placement.	NA

Disposal

Method	Description	
Disassemble	Product can be disassembled to separate recyclable components.	
Recyclable - Fully	Product is fully recyclable.	
Recycling - Scrap	Materials can be sold for scrap.	
Reuse	This item can be reused in the same or different function.	

SUMMARY

Category Type	Property/Component	16-gallon, Sandstone, Linen or Diamond finish	16-gallon, Satin finish	24-gallon, Sandstone, Linen or Diamond finish	24-gallon, Satin finish
Basic	Post-Industrial Recycled Content	0%	49%	0%	49%
Basic	Post-Consumer Recycled Content	58%	0%	58%	0%
Basic	Total Recycled Content	58%	49%	58%	49%
LEED v3	MR: Storage & Collection of Recyclables	х	х	x	х
LEED v3	MR: Construction Waste Management	х	х	х	х
LEED v3	MR: Recycled Content	х	х	x	х
LEED v3	MR: Regional Materials	Contact	Contact	Contact	Contact
LEED v4	MR: Storage & Collection of Recyclables	х	х	x	х
LEED v4	MR: Construction Waste Management	х	х	x	х
LEED v4	MR: Sourcing of Raw Matlsrecycled	х	х	х	х
LEED v4	MR: Sourcing of Rawregional matls	Contact	Contact	Contact	Contact
LEED v4	MR: Material Ingredients	Contact	Contact	Contact	Contact
LEED v4	EQ: Low-emitting Materials	Contact	Contact	Contact	Contact
Green Globes	3.5.4.1 Construction Waste	х	х	х	х
Green Globes	3.5.4.2 Operational Waste	х	х	х	х
Green Globes	3.5.6.3 Deconstruction and Disassembly	х	х	x	х
Green Globes	3.7.2.1 Volatile Organic Compounds	Contact	Contact	Contact	Contact
ESTIDAMA	LBi: Material Emissions	Contact	Contact	Contact	Contact
ESTIDAMA	SM: Hazardous Material Elimination	x	х	x	x
ESTIDAMA	SM: Construction Waste Management	x	х	x	x
ESTIDAMA	SM: Operational Waste Management	х	х	x	x

T 800.451.0410 | www.forms-surfaces.com

FORMS+SURFACES®

SUMMARY continued

Category Type	Property/Component	16-gallon, Sandstone, Linen or Diamond finish	16-gallon, Satin finish	24-gallon, Sandstone, Linen or Diamond finish	24-gallon, Satin finish
SITES	Materials: Design for disassembly	x	x	х	х
SITES	Materials: Recycled content materials	х	х	х	х
SITES	Materials: Regional materials	Contact	Contact	Contact	Contact
SITES	Materials: Transparency	Contact	Contact	Contact	Contact
SITES	Construction: Divert construction materials	x	x	х	х
SITES	O+M: Storage & collection of recyclables	х	х	х	х
SITES	O+M: Recycle organic matter	х	х	х	х
Materials	Polycarbonate	х	х	х	х
Materials	Polyethylene	х	x	х	х
Materials	Stainless Steel		x		х
Materials	Stainless Steel - HD	х		х	
Processes	Calendaring	х		х	
Processes	Cutting	х	х	х	х
Processes	Digital UV Printing	х	х	х	х
Processes	Forming	х	х	х	х
Processes	Metal Finishing		х		х
Processes	Plastics Manufacture	х	х	х	х
Processes	Steel Making	х	х	х	х
Processes	Welding	х	х	х	х
Packaging	Cardboard Box	х	х	х	х
Packaging	Foam Sheets	х	х	х	х
Packaging	Plastic Band	х	х	х	x
Packaging	Plastic Shrink Wrap	х	х	х	х
Packaging	Steel Band	х	х	х	х
Packaging	Wood Pallet	х	х	х	x
Transport	Boat - Overseas	х	х	х	x
Transport	Ground – Truck/Rail	x	x	x	x
Maint. & Use	Clean with Water and Mild Cleaner	х	х	х	x
Maint. & Use	Ergonomic	х	х	х	х
Maint. & Use	Recycling	х	х	х	х
Disposal	Disassemble	x	x	x	x
Disposal	Recyclable - Fully	x	x	x	x
Disposal	Recycling - Scrap	x	x	x	x
Disposal	Reuse	x	x	x	x

Forms+Surfaces is dedicated to environmental responsibility. We maintain an Environmental Management System and are continually working to improve our impact through efficiency, material selection, vendor education, employee involvement, and an unwavering commitment to being exemplary corporate citizens. If you would like additional information on our Environmental Management System or our company environmental initiatives and policies, please feel free to contact our Sustainability Team at green@forms-surfaces.com.

FORMS+SURFACES®