Vaya Chair by Forms+Surfaces

Health Product Declaration v2.1

CLASSIFICATION: 12 93 00.00 Furnishings - Site Furnishing created via: HPD Fillable Form

Vaya Chairs have reclined backs and a lower stance for a leisurely level of comfort. Frames are powdercoated aluminum; slats are FSC® 100% Cumaru hardwood.



Section 1: Summary

Basic Method/Product Threshold

Yes

O No

CONTENT INVENTORY

Are All Substances Above the Threshold Indicated: Inventory Reporting Format Threshold Level Residuals/Impurities O Nested Materials Method O Considered ● 100 ppm Characterized Percent Weight and Role Provided? O 1,000 ppm Basic Method O Partially Considered O Per GHS SDS Not Considered **Threshold Disclosed Per** Yes O No Screened O Per OSHA MSDS Using Priority Hazard Lists with Results Disclosed? O Material Explanation(s) provided O Other for Residuals/Impurities? Product

No

O Yes

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

Aluminum | LT-P1 | RES | END | PHY

Cumaru | NoGS | None found

Stainless Steel | LT-UNK | None found

Steel | NoGS | None found

Polyethylene | LT-UNK | None found

Number of Greenscreen BM-4/BM-3 contents: 0

Contents highest concern GreenScreen Benchmark or List translator Score: LT-P1

Name and Identifier Provided?

Nanomaterial: No

Identified

INVENTORY AND SCREENING NOTES:

Residuals have not been considered. Recycled content of the Vaya Chair is 38% Pre-Consumer and 6% Post-Consumer.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT VOC content data is not applicable for this product category. **CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings. **VOC Emissions:**

CONSISTENCY WITH OTHER PROGRAMS

Forest Stewardship Council; LEED v4 Materials & Resources

Self-Prepared SCREENING DATE: 2019-01-09 Third Party Verified? PREPARER: PUBLISHED DATE: 2019-01-09 Yes VERIFIER: No VERIFICATION # EXPIRY DATE: 2022-01-08



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold.
- · Nested Material Inventory method with individual Material-level thresholds.

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

Vaya Chair

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No.

RESIDUALS/IMPURITIES NOTES:

Residuals have not been considered

OTHER PRODUCT NOTES

Aluminum ID: 7429-90-5

%: 63.33-64.27 GS: LT-P1 RC: None NANO: No ROLE: Frame

HAZARDS AGENCY(IES) WITH WARNINGS

RESPIRATORY; ENDOCRINE; AOEC - Asthmagens - Asthmagen (ARs) - sensitizer-induced - inhalable forms only; TEDX - PHYSICAL HAZARD (REACTIVE Potential Endocrine Disruptors - Potential Endocrine Disruptor; EU - GHS (H-Statements) - H228

SUBSTANCE NOTES:

Also in EU - GHS (H-Statements) - H250 - Catches fire spontaneously if exposed to air, H261 - In contact with water releases flammable gases

Hazards noted pertain to aluminum in a powder state. The aluminum used in the Vaya Chair is in solid form. Accordingly, the hazards noted would not pertain to aluminum in this form. A range is given as the % varies depending on freestanding or surface mount.

Cumaru ID: N/A

^{%:} 34.18-34.69 GS: NoGS RC: None NANO: No ROLE: Wood slats

HAZARDS AGENCY(IES) WITH WARNINGS:

None found No warnings found on HPD Priority Lists

SUBSTANCE NOTES:

A range is given as the % varies depending on freestanding or surface mount. Cumaru is certified FSC 100% by the Forest Stewardship Council - SCS-COC-001461.

Stainless Steel ID: 12597-68-1

%: 1.01-2.14 GS: LT-UNK RC: None NANO: No ROLE: Hardware

HAZARDS AGENCY(IES) WITH WARNINGS:

None found No warnings found on HPD Priority Lists

SUBSTANCE NOTES

Stainless Steel is considered essentially inert for the purposes of Pharos toxics scoring. Residuals have not been considered.

A range is given as the % varies depending on freestanding or surface mount.

%: 0-0.35 GS: NoGS RC: None NANO: No ROLE: Threaded anchor

HAZARDS AGENCY(IES) WITH WARNINGS:

None found No warnings found on HPD Priority Lists

SUBSTANCE NOTES:

A range is given as the % varies depending on freestanding or surface mount.

Polyethylene				ID: 9002-88-4
%: 0-0.04 HAZARDS	GS: LT-UNK RC: None AGENCY(IES) WITH WARNINGS:	NANO: No	ROLE: Chair glides	
None found	No warnings found on HPD Pr	iority Lists		
SUBSTANCE NOTES:				
A range is given as the % varies	depending on freestanding or surf	ace mount.		
				ID:
%:	GS: RC:	NANO:	ROLE:	
HAZARDS	AGENCY(IES) WITH WARNINGS:			
OURSTANGE MOTES				
SUBSTANCE NOTES:				
				ID:
%:	GS: RC:	NANO:	ROLE:	
HAZARDS	AGENCY(IES) WITH WARNINGS:			
SUBSTANCE NOTES:				
%:	GS: RC:	NANO:	ROLE:	ID:
HAZARDS	AGENCY(IES) WITH WARNINGS:			
SUBSTANCE NOTES:				
				ID:
%: HAZARDS	GS: RC: AGENCY(IES) WITH WARNINGS:	NANO:	ROLE:	
SUBSTANCE NOTES:				



Wood certification - FSC 100%

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

Certified FSC 100% by the Forest Stewardship Council - SCS-COC-001461

CERTIFYING PARTY: FSC	ISSUE DATE: 03/26/2008	EXPIRY DATE: 03/11/2023			
CERTIFIER OR LAB: SCS Global Services	33/23/233	00/11/2020			
APPLICABLE FACILITIES: Pittsburgh, PA					
CERTIFICATE URL:					
CERTIFICATION AND COMPLIANCE NOTES:					
The wood used in this product is certified FSC 100% by the Forest Stewardship Council.					
p					
Recycled Content	ISO 14021:1999 Environ	nmental labels and declarations			
CERTIFYING PARTY: Self-declared	ISSUE DATE:	EXPIRY DATE:			
CERTIFIER OR LAB:					
APPLICABLE FACILITIES:					
CERTIFICATE URL:					
CERTIFICATION AND COMPLIANCE NOTES:					
The provided recycled content data is	s generated from supplier o	data, following the guidelines of ISO 14021.			
The provided recycled coment data is	gonoratou nom capphor c	add, following the galdelines of 186 1 162 1.			
CERTIFYING PARTY:	ISSUE DATE:	EXPIRY DATE:			
CERTIFIER OR LAB:					
APPLICABLE FACILITIES:					
CERTIFICATE URL:					
CERTIFICATION AND COMPLIANCE NOTES:					
CETTII IOATION AND COMI LIANCE NOTES.					
CERTIFYING PARTY:	ISSUE DATE:	EXPIRY DATE:			
CERTIFIER OR LAB:					
APPLICABLE FACILITIES:					
CERTIFICATE URL:					
CERTIFICATION AND COMPLIANCE NOTES:					
CERTIFICATION AND COMPLIANCE NOTES.					
CERTIFYING PARTY:	ISSUE DATE:	EXPIRY DATE:			
CERTIFIER OR LAB:	.5502 5/112.	EN III EILE			
APPLICABLE FACILITIES:					
CERTIFICATION AND COMPLIANCE NOTES.					
CERTIFICATION AND COMPLIANCE NOTES:					

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

HPD URL:

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:



B Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Forms+Surfaces

ADDRESS

30 Pine Street

Pittsburgh, PA 15223

WEBSITE:

www.forms-surfaces.com

CONTACT NAME: Sustainability Manager

TITLE: Sustainability Manager

PHONE 1-800-451-0410

EMAIL: Green@forms-surfaces.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity **GLO** Global warming

CAN Cancer MAM Mammalian/systemic/organ toxicity

DEV Developmental toxicity **MUL** Multiple hazards **END** Endocrine activity **NEU** Neurotoxicity **EYE** Eye irritation/corrosivity **OZO** Ozone depletion

GEN Gene mutation **PBT** Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive) **REP** Reproductive toxicity **RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open

- · a method for the assessment of exposure or risk associated with product handling or use,
- · a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.