BEVEL™ BENCH

PRODUCT DATA

FORMS+SURFACES®

BEVEL™ BENCH

PRODUCT DATA

The **Bevel Bench** is constructed of TENSL Ultra High Performance Concrete (UHPC). Two exquisitely detailed castings, mirrored front and back, join at the bench spine. A thin reveal between the two lightens the look.

MATERIAL & CONSTRUCTION DETAILS INSTALLATION & MAINTENANCE

CONSTRUCTION	INSTALLATION	MAINTENANCE
• Benches are made of TENSL UHPC with an intrinsic UHPC finish in Natural color. • TENSL surfaces are protected by an invisible hydrophobic treatment.	• Bevel Benches can be freestanding or surface mounted. • Surface mount models include stainless steel mounting hardware.	• TENSL surfaces can be cleaned as needed using a soft cloth or brush with water and a mild detergent. Surfaces should be thoroughly rinsed and allowed to dry. • Avoid abrasive cleaners.

NOMINAL DIMENSIONS



MODEL	OVERALL LENGTH	OVERALL DEPTH	OVERALL HEIGHT	WEIGHT
SBBVL-74C	74" (1880 mm)	18" (457 mm)	18" (457 mm)	200 lbs (91 kg)

UHPC COLOR: NATURAL

ENVIRONMENTAL CONSIDERATIONS

- Please refer to the Bevel Bench Environmental Data Sheet for detailed environmental impact information.
- Bevel Benches are composed primarily of natural materials local to manufacturing.
- All Bevel Benches use a low energy, resource efficient manufacturing and curing process.
- All bench components disassemble at end of life and are fully recyclable.
- Low maintenance and extremely long service life.
- Manufactured in the USA.

MODEL NUMBER AND DESCRIPTION

MODEL	DESCRIPTION
SBBVL-74C	Bevel Bench, 6 foot, backless, TENSL UHPC

© 2017 Forms+Surfaces® | All dimensions are nominal. Specifications and pricing subject to change without notice. For the most current version of this document, please refer to our website at www.forms-surfaces.com

LEAD TIME: Please contact us to discuss your specific timing requirements.

PRICING: Please contact us at **800.451.0410** or **sales@forms-surfaces.com**. At Forms+Surfaces, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Territory Managers are located worldwide to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

TO ORDER SPECIFY: Quantity, model, and freestanding or surface mount. Quote/Order Forms are available on our website to lead you through the specification process in a simple checkbox format.

NOTE: Because different computers, monitors, and printers render colors and textures differently, actual finishes may vary from those shown here.

© 2017 Forms+Surfaces® | All dimensions are nominal. Specifications and pricing subject to change without notice. For the most current version of this document, please refer to our website at www.forms-surfaces.com