



CALYPSO™ DOOR PULLS

PRODUCT DATA





CALYPSO™ DOOR PULLS

PRODUCT DATA

Shaped by fluid curves and meticulous detailing, Calypso brings a rhythmic twist to door pull design. Pulls are cast of stainless steel or bronze and accentuated by a rich offering of finishes.

MATERIALS & FINISHES

INSTALLATION & MAINTENANCE

STAINLESS STEEL		BRONZE		INSTALLATION	MAINTENANCE
US32	Polished Stainless Steel	US9	Polished Bronze		
US32D	Satin Stainless Steel	US10	Satin Bronze		
SSS	Stippled Stainless Steel	SBR	Stippled Bronze		
PSS*	Combo Polished & Satin Stainless Steel	PSB*	Combo Polished & Satin Bronze		
*PSS and PSB combination finishes: grip is Polished finish; indentations are Satin finish		US10B	Oil-Rubbed Bronze		
		S10	Stippled Oil-Rubbed Bronze		

INSTALLATION

- Calypso Door Pulls may be single mounted on wood or metal doors only. They may be mounted back-to-back on wood, metal or glass doors.
- Calypso Door Pulls are installed using Mounting System "C". A thread-locking adhesive such as Loctite® is recommended for secure installation. Refer to Mounting Options C1, C2, C3, C4 and C5 shown below for additional information.

MAINTENANCE

- Calypso Door Pulls are well-suited for interior or exterior use. Regular maintenance will help ensure the lasting beauty of each pull. For more information, please refer to *Door Hardware Care & Maintenance* found on our website.

DESIGN OPTIONS

CLD1100 - 920022	CLD1211 - 920024 (LEFT)	CLD1222 - 920025 (RIGHT)	CLD1300 - 920023

MOUNTING OPTIONS

C-1 Back-to-back mount on wood or metal door with shoulder bolt.	C-2 Concealed single mount on aluminum frame door with shoulder bolt and customer's reinforcement.	*C-3 Concealed single mount on wood door with shoulder bolt and threaded insert.	C-4 Back-to-back mount on glass door with shoulder bolt.	C-5 Single mount on wood or metal door with through bolt.

*Forms+Surfaces offers but does not recommend concealed mounting on wood doors. Frequent or heavy use can compromise the integrity of this mounting.

For more information on mounting Calypso Door Pulls, please refer to the *Hardware Installation Instruction Manual* found on our website.



CALYPSO™ DOOR PULLS

PRODUCT DATA

LIST PRICING AND ORDERING INFORMATION

Pricing does not include freight. No additional charge for mounting hardware. All pricing is for single units, not pairs.

MODEL	STAINLESS STEEL		BRONZE	
CLD1100 - 920022 14" (356mm) c.c.	US32, US32D, SSS, PSS	\$571	US9, US10, SBR, PSB, US10B, S10	\$856
CLD1211 - 920024 Left; 14" (356mm) c.c.	US32, US32D, SSS, PSS	\$571	US9, US10, SBR, PSB, US10B, S10	\$856
CLD1222 - 920025 Right; 14" (356mm) c.c.	US32, US32D, SSS, PSS	\$571	US9, US10, SBR, PSB, US10B, S10	\$856
CLD1300 - 920023 14" (356mm) c.c.	US32, US32D, SSS, PSS	\$571	US9, US10, SBR, PSB, US10B, S10	\$856

HOW TO SPECIFY:

Provide model number, quantity, metal and finish, mounting option, interior/exterior designation for handed door pulls (CLD1211 and CLD1222), door material and thickness.