


LINQ[™] WOVEN METAL

PRODUCT DATA



FORMS+SURFACES®



PRODUCT DATA

Ling Woven Metal brings a distinctly F+S twist to woven metal. Shaped by innovative design and material capabilities exclusive to Forms+Surfaces, Linq unites modern aesthetics, exceptional durability, and full integration with our wall systems, columns, elevator interiors and more.

MATERIAL DESCRIPTION

Ling Woven Metal selections are defined by three basic parameters:

| MATERIAL | PATTERN | PATINA |
|---|---|--|
| The metal wire used. All patterns are available in stainless steel. | The distinctive texture or design created by weaving the metal. Standard Linq patterns are shown in on pages 2-3. | A contrast-enhancing surface treatment applied to the woven metal. Select patterns are available with a patina, as indicated on pages 2-3. |

MAINTENANCE & APPLICATIONS

| MAINTENANCE | F+S SYSTEMS |
|---|---|
| For routine cleaning of Linq Woven Metal patterns in Stainless Steel, spray a commercial cleaner specifically formulated for stainless steel onto a clean microfiber cloth and wipe the surface. We recommend Weiman® Stainless Steel Spray or Magic Stainless Steel Cleaner. After cleaning, the surface should be rinsed with water to prevent streaking and dried with a clean microfiber towel. | LEVELe Wall Cladding System LEVELe Elevator Interiors LEVELe Column System LEVELc Elevator Interiors |

HOW TO SPECIFY

To order, please indicate material, pattern, patina and quantity.


FORMS+SURFACES®

© 2023 Forms+Surfaces® | All dimensions are nominal. Specifications and pricing subject to change without notice. For the most current version of this document, please refer to our website at www.forms-surfaces.com.




LINQ PATTERNS

Ling Woven Metal patterns consist of flat and/or round wires interwoven to create distinctive textures and designs.




ECH0[™]

| SHEET THICKNESS (APPROXIMATE) | 0.176" (4.5 mm) | |
|--|--------------------------------|--|
| MAXIMUM SHEET SIZE | 48" x 120" (1219 mm X 3048 mm) | |
| WEIGHT (LBS/SQ FOOT) | 3.837 | |
| PERCENT OPEN AREA | 1% | |
| AVAILABLE METALS | Stainless Steel | |
| AVAILABLE WITH PATINA | No | |
| NOTE: Available in both Horizontal and Vertical orientations (Vertical orientation shown). | | |
| | | |
| Scale Approximately: 1:1 | | |



MERGE™

| SHEET THICKNESS (APPROXIMATE) | 0.189" (4.8 mm) | |
|---|--------------------------------|--|
| MAXIMUM SHEET SIZE | 48" x 120" (1219 mm X 3048 mm) | |
| WEIGHT (LBS/SQ FOOT) | 3.080 | |
| PERCENT OPEN AREA | 2% | |
| AVAILABLE METALS | Stainless Steel | |
| AVAILABLE WITH PATINA | Yes | |
| NOTE: Only available in Vertical orientation shown. | | |
| | | |
| Scale Approximately: 1:1 | | |



RHYTHM™

| SHEET THICKNESS (APPROXIMATE) | 0.103" (2.6 mm) | |
|---|--------------------------------|--|
| MAXIMUM SHEET SIZE | 48" x 120" (1219 mm X 3048 mm) | |
| WEIGHT (LBS/SQ FOOT) | 2.499 | |
| PERCENT OPEN AREA | 8% | |
| AVAILABLE METALS | Stainless Steel | |
| AVAILABLE WITH PATINA | No | |
| NOTE: Only available in Vertical orientation shown. | | |
| S 220 KS 220 KS 220 KS 220 B | | |
| Scale Approximately: 1:1 | | |

T 1.800.451.0410 | F 412.385.4715 | www.forms-surfaces.com

FORMS+SURFACES®


© 2023 Forms+Surfaces® | All dimensions are nominal. Specifications and pricing subject to change without notice. For the most current version of this document, please refer to our website at www.forms-surfaces.com.

PRODUCT DATA




SLOPE™

| SHEET THICKNESS (APPROXIMATE) | 0.189" (4.8 mm) | |
|---|--------------------------------|--|
| MAXIMUM SHEET SIZE | 48" x 120" (1219 mm X 3048 mm) | |
| WEIGHT (LBS/SQ FOOT) | 2.939 | |
| PERCENT OPEN AREA | 6% | |
| AVAILABLE METALS | Stainless Steel | |
| AVAILABLE WITH PATINA | No | |
| NOTE: Only available in Vertical orientation shown. | | |
| | | |
| Scale Approximately: 1:1 | | |



SUM™

| SHEET THICKNESS (APPROXIMATE) | 0.133" (3.4 mm) | |
|---|--------------------------------|--|
| MAXIMUM SHEET SIZE | 48" x 120" (1219 mm X 3048 mm) | |
| WEIGHT (LBS/SQ FOOT) | 3.738 | |
| PERCENT OPEN AREA | 5% | |
| AVAILABLE METALS | Stainless Steel | |
| AVAILABLE WITH PATINA | Yes | |
| NOTE: Only available in Vertical orientation shown. | | |
| | | |
| Scale Approximately: 1:1 | | |



WAVE™

| SHEET THICKNESS (APPROXIMATE) | 0.125" (3.2 mm) | |
|--|--------------------------------|--|
| MAXIMUM SHEET SIZE | 60" x 120" (1524 mm X 3048 mm) | |
| WEIGHT (LBS/SQ FOOT) | 1.864 | |
| PERCENT OPEN AREA | 5% | |
| AVAILABLE METALS | Stainless Steel | |
| AVAILABLE WITH PATINA | No | |
| NOTE: Available in both Horizontal and Vertical orientations (Horizontal orientation shown). | | |
| | | |
| Scale Approximately: 1:1 | | |

T 1.800.451.0410 | F 412.385.4715 | www.forms-surfaces.com

FORMS+SURFACES®

© 2023 Forms+Surfaces® | All dimensions are nominal. Specifications and pricing subject to change without notice. For the most current version of this document, please refer to our website at www.forms-surfaces.com.