




**MERIDIAN™ DOOR PULLS**

PRODUCT DATA





# MERIDIAN™ DOOR PULLS

PRODUCT DATA

Meridian is a versatile collection of architectural hardware designed by Tom Peters. For effortless continuity throughout an installation, the group includes both door pulls and cabinet pulls. All are cast of solid stainless steel or bronze. Multiple design options invite a wealth of possibilities. Meticulous detailing and seamless finishes ensure the precise beauty of each form.

## MATERIALS & FINISHES

## INSTALLATION & MAINTENANCE

STAINLESS STEEL		BRONZE		INSTALLATION	MAINTENANCE
US32	Polished Stainless Steel	US9	Polished Bronze	<ul style="list-style-type: none"> <li>Meridian Door Pulls may be single mounted or mounted back-to-back on wood, metal or glass doors.</li> <li>Meridian Door Pulls are installed using Mounting System "B". A thread-locking adhesive such as Loctite® is recommended for secure installation. Refer to Mounting Options B1, B2, B3, B4, B5, B6 and B7 on page 2 for additional information. Note: 12" c.c. Meridian Door Pulls on glass use 1" diameter turning washers as escutcheons.</li> </ul>	<ul style="list-style-type: none"> <li>Meridian Door Pulls are well-suited for interior or exterior use. Regular maintenance will help ensure the lasting beauty of each pull. For more information, please refer to <i>Door Hardware Care &amp; Maintenance</i> found on our website.</li> </ul>
US32D	Satin Stainless Steel	US10	Satin Bronze		
SSS	Stippled Stainless Steel	SBR	Stippled Bronze		
PSS*	Combination Polished and Satin Stainless Steel	US10B	Oil-Rubbed Bronze		
*PSS and PSB combination finishes: upper section of pull is Satin finish; lower section is Polished finish		S10	Stippled Oil-Rubbed Bronze		
		PSB*	Combination Polished and Satin Bronze		

## DESIGN OPTIONS

DP9101-12 (LEFT) / DP9102-12 (RIGHT)	DP9101-20 (LEFT) / DP9102-20 (RIGHT)	DP9103-12 (LEFT) / DP9104-12 (RIGHT)
DP9103-20 (LEFT) / DP9104-20 (RIGHT)	DP9105-12 (LEFT) / DP9106-12 (RIGHT)	DP9105-20 (LEFT) / DP9106-20 (RIGHT)

T 1.800.451.0410 | F 412.385.4715 | [www.forms-surfaces.com](http://www.forms-surfaces.com)

**FORMS+SURFACES®**

© 2021 Forms+Surfaces® | All dimensions are nominal. Specifications and pricing subject to change without notice. For the most current version of this document, please refer to our website at [www.forms-surfaces.com](http://www.forms-surfaces.com).



# MERIDIAN™ DOOR PULLS

PRODUCT DATA

## MOUNTING OPTIONS

<b>B-1</b> Back-to-back mount on wood or metal door with Rota-Lok.	<b>B-2</b> Single mount on glass door with end cap purchased separately.	<b>B-3</b> Back-to-back mount on glass door with Rota-Lok.	<b>B-4</b> Single mount on wood or metal door with through bolt.	<b>*B-5</b> Concealed single mount on wood door with threaded insert and Rota-Lok.	<b>B-6</b> "L" Configuration: Adapt one end of each pull for back-to back mounting with Rota-Lok. Specify "B" mounting for other ends.	<b>B-7</b> Concealed single mount on aluminum frame door with Rota-Lok and customer's reinforcement.

\*Forms+Surfaces offers but does not recommend concealed mounting on wood doors. Frequent or heavy use can compromise the integrity of this mounting.

For more information on mounting Meridian Door Pulls, please refer to the *Hardware Installation Instruction Manual* found on our website.

## LIST PRICING AND ORDERING INFORMATION

Pricing does not include freight. No additional charge for mounting hardware. All pricing is for single units, not pairs.

MODEL	STAINLESS STEEL		BRONZE	
DT1001 End Cap; 1" (25mm) dia.	US32, US32D, SSS	\$40	US9, US10, SBR, US10B, S10	\$56
DP9101 Left; 12" (305mm) c.c.	US32, US32D, SSS, PSS	\$536	US9, US10, SBR, US10B, S10, PSB	\$805
DP9101 Left; 20" (508mm) c.c.	US32, US32D, SSS, PSS	\$698	US9, US10, SBR, US10B, S10, PSB	\$1,047
DP9102 Right; 12" (305mm) c.c.	US32, US32D, SSS, PSS	\$536	US9, US10, SBR, US10B, S10, PSB	\$805
DP9102 Right; 20" (508mm) c.c.	US32, US32D, SSS, PSS	\$698	US9, US10, SBR, US10B, S10, PSB	\$1,047
DP9103 Left; 12" (305mm) c.c.	US32, US32D, SSS, PSS	\$536	US9, US10, SBR, US10B, S10, PSB	\$805
DP9103 Left; 20" (508mm) c.c.	US32, US32D, SSS, PSS	\$698	US9, US10, SBR, US10B, S10, PSB	\$1,047
DP9104 Right; 12" (305mm) c.c.	US32, US32D, SSS, PSS	\$536	US9, US10, SBR, US10B, S10, PSB	\$805
DP9104 Right; 20" (508mm) c.c.	US32, US32D, SSS, PSS	\$698	US9, US10, SBR, US10B, S10, PSB	\$1,047
DP9105 Left; 12" (305mm) c.c.	US32, US32D, SSS, PSS	\$536	US9, US10, SBR, US10B, S10, PSB	\$805
DP9105 Left; 20" (508mm) c.c.	US32, US32D, SSS, PSS	\$698	US9, US10, SBR, US10B, S10, PSB	\$1,047
DP9106 Right; 12" (305mm) c.c.	US32, US32D, SSS, PSS	\$536	US9, US10, SBR, US10B, S10, PSB	\$805
DP9106 Right; 20" (508mm) c.c.	US32, US32D, SSS, PSS	\$698	US9, US10, SBR, US10B, S10, PSB	\$1,047

Note: DP9100 door pulls are designed to be used in pairs. One left hand and one right hand door pull is suggested. If door pulls are to be used back-to-back on a single door, one left hand and one right hand door pull is required. Please specify which pull is exterior and which is interior.

## HOW TO SPECIFY:

Provide model number, center-to-center (c.c.) dimension, quantity, metal and finish, mounting option, door material and thickness.