




RECTANGULAR DOOR PULLS

PRODUCT DATA










RECTANGULAR DOOR PULLS



PRODUCT DATA

Rectangular Door Pulls offer the mass and ruggedness of cast pulls while maintaining the lighter weight and economy of tubular construction. Pulls are offered with 1" x 1" (25mm x 25mm), 1" x 1.5" (25mm x 38mm) and 1" x 2" (25mm x 51mm) cross-sections in a comprehensive range of lengths and configurations.

SERIES DESCRIPTIONS

SERIES	DESCRIPTION	CROSS-SECTIONS & CORRESPONDING PULLS		
1000	1" x 1" (25mm x 25mm); Square Tubular Sections	 <p>ACTUAL SIZE</p>	<p>Symmetrical Cross-Section:</p> <p>HDREC1011 HDREC1014 HDREC1021</p>	
1500	1" x 1.5" (25mm x 38mm); Rectangular Tubular Sections	 <p>ACTUAL SIZE</p>	<p>Wide Side of Cross-Section Facing Out:</p> <p>HDREC1511 HDREC1514 HDREC1521</p>	
			 <p>ACTUAL SIZE</p>	<p>Narrow Side of Cross-Section Facing Out:</p> <p>HDREC1512 HDREC1515</p>
2000	1" x 2" (25mm x 51mm); Rectangular Tubular Sections			
2000L	1" x 2" (25mm x 51mm); Rectangular Tubular Sections w/ Integral Deadlock	 <p>ACTUAL SIZE</p>	<p>Wide Side of Cross-Section Facing Out:</p> <p>HDREC2011 HDREC2014 HDREC2021 HDREC2041 HDREC2000L</p>	
			 <p>ACTUAL SIZE</p>	<p>Narrow Side of Cross-Section Facing Out:</p> <p>HDREC2012 HDREC2015</p>



RECTANGULAR DOOR PULLS



PRODUCT DATA

MATERIALS & FINISHES

INSTALLATION & MAINTENANCE

STAINLESS STEEL		BRONZE		BRASS		INSTALLATION	MAINTENANCE
US32	Polished Stainless Steel	US9	Polished Bronze	US3	Polished Brass		
US32D	Satin Stainless Steel	US10	Satin Bronze	US4	Satin Brass		
SSS	Stippled Stainless Steel	US10B	Oil-Rubbed Bronze				

MOUNTING OPTIONS

MOUNTING SYSTEM "C" FOR RECTANGULAR DOOR PULLS (EXCEPT HDREC2041)				
C-1 Back-to-back mount on wood or metal door with shoulder bolt.	C-2 Concealed single mount on aluminum frame door with shoulder bolt and customer's reinforcement.	*C-3 Concealed single mount on wood door with shoulder bolt and threaded insert.	C-4 Back-to-back mount on glass door with shoulder bolt.	C-5 Single mount on wood or metal door with through bolt.
*Forms+Surfaces offers but does not recommend concealed mounting on wood doors. Frequent or heavy use can compromise the integrity of this mounting.				

MOUNTING SYSTEM "B" FOR HDREC2041 DOOR PULLS ONLY						
B-1 Back-to-back mount on wood or metal door with Rota-Lok.	B-2 Single mount on glass door with end cap purchased separately.	B-3 Back-to-back mount on glass door with Rota-Lok.	B-4 Single mount on wood or metal door with through bolt.	*B-5 Concealed single mount on wood door with threaded insert and Rota-Lok.	B-6 "L" Configuration: Adapt one end of each pull for back-to back mounting with Rota-Lok. Specify "B" mounting for other ends.	B-7 Concealed single mount on aluminum frame door with Rota-Lok and customer's reinforcement.
*Forms+Surfaces offers but does not recommend concealed mounting on wood doors. Frequent or heavy use can compromise the integrity of this mounting.						

For more information on mounting Rectangular Door Pulls, please refer to the *Hardware Installation Instruction Manual* found on our website.



RECTANGULAR DOOR PULLS



PRODUCT DATA

DESIGN OPTIONS - SERIES 1000 (1011, 1014, 1021)

SERIES 1000 - 1" X 1" (25MM X 25MM); SQUARE TUBULAR SECTIONS; STAINLESS STEEL, BRONZE AND BRASS																																				
<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>9" (229mm)</td> <td>10" (254mm)</td> </tr> <tr> <td>12" (305mm)</td> <td>13" (330mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>19" (483mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>25" (635mm)</td> </tr> <tr> <td>36" (914mm)</td> <td>37" (940mm)</td> </tr> <tr> <td>48" (1219mm)</td> <td>49" (1245mm)</td> </tr> </tbody> </table>	c.c.	oal	9" (229mm)	10" (254mm)	12" (305mm)	13" (330mm)	18" (457mm)	19" (483mm)	24" (610mm)	25" (635mm)	36" (914mm)	37" (940mm)	48" (1219mm)	49" (1245mm)	<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>12" (305mm)</td> <td>18" (457mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>24" (610mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>30" (762mm)</td> </tr> <tr> <td>36" (914mm)</td> <td>42" (1067mm)</td> </tr> <tr> <td>48" (1219mm)</td> <td>54" (1372mm)</td> </tr> </tbody> </table>	c.c.	oal	12" (305mm)	18" (457mm)	18" (457mm)	24" (610mm)	24" (610mm)	30" (762mm)	36" (914mm)	42" (1067mm)	48" (1219mm)	54" (1372mm)	<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>12" (305mm)</td> <td>13" (330mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>19" (483mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>25" (635mm)</td> </tr> </tbody> </table>	c.c.	oal	12" (305mm)	13" (330mm)	18" (457mm)	19" (483mm)	24" (610mm)	25" (635mm)
c.c.	oal																																			
9" (229mm)	10" (254mm)																																			
12" (305mm)	13" (330mm)																																			
18" (457mm)	19" (483mm)																																			
24" (610mm)	25" (635mm)																																			
36" (914mm)	37" (940mm)																																			
48" (1219mm)	49" (1245mm)																																			
c.c.	oal																																			
12" (305mm)	18" (457mm)																																			
18" (457mm)	24" (610mm)																																			
24" (610mm)	30" (762mm)																																			
36" (914mm)	42" (1067mm)																																			
48" (1219mm)	54" (1372mm)																																			
c.c.	oal																																			
12" (305mm)	13" (330mm)																																			
18" (457mm)	19" (483mm)																																			
24" (610mm)	25" (635mm)																																			
HDREC1011	HDREC1014	HDREC1021																																		

PRICING - SERIES 1000 (1011, 1014, 1021)

Pricing does not include freight. No additional charge for mounting hardware. All pricing is for single units, not pairs.

MODEL	STAINLESS STEEL	BRONZE	BRASS
HDREC1011 Straight, Returned Standoffs, 9" (229mm) c.c.	US32, US32D, SSS \$146	US9, US10, US10B \$219	US3, US4 \$219
HDREC1011 Straight, Returned Standoffs, 12" (305mm) c.c.	US32, US32D, SSS \$171	US9, US10, US10B \$257	US3, US4 \$257
HDREC1011 Straight, Returned Standoffs, 18" (457mm) c.c.	US32, US32D, SSS \$199	US9, US10, US10B \$299	US3, US4 \$299
HDREC1011 Straight, Returned Standoffs, 24" (610mm) c.c.	US32, US32D, SSS \$215	US9, US10, US10B \$323	US3, US4 \$323
HDREC1011 Straight, Returned Standoffs, 36" (914mm) c.c.	US32, US32D, SSS \$231	US9, US10, US10B \$347	US3, US4 \$347
HDREC1011 Straight, Returned Standoffs, 48" (1219mm) c.c.	US32, US32D, SSS \$262	US9, US10, US10B \$380	US3, US4 \$380
HDREC1014 Straight, Inboard Standoffs, 12" (305mm) c.c.	US32, US32D, SSS \$171	US9, US10, US10B \$257	US3, US4 \$257
HDREC1014 Straight, Inboard Standoffs, 18" (457mm) c.c.	US32, US32D, SSS \$199	US9, US10, US10B \$299	US3, US4 \$299
HDREC1014 Straight, Inboard Standoffs, 24" (610mm) c.c.	US32, US32D, SSS \$215	US9, US10, US10B \$323	US3, US4 \$323
HDREC1014 Straight, Inboard Standoffs, 36" (914mm) c.c.	US32, US32D, SSS \$231	US9, US10, US10B \$347	US3, US4 \$347
HDREC1014 Straight, Inboard Standoffs, 48" (1219mm) c.c.	US32, US32D, SSS \$262	US9, US10, US10B \$380	US3, US4 \$380
HDREC1021 Offset, 12" (305mm) c.c.	US32, US32D, SSS \$213	US9, US10, US10B \$319	US3, US4 \$319
HDREC1021 Offset, 18" (457mm) c.c.	US32, US32D, SSS \$243	US9, US10, US10B \$364	US3, US4 \$364
HDREC1021 Offset, 24" (610mm) c.c.	US32, US32D, SSS \$273	US9, US10, US10B \$410	US3, US4 \$410

T 1.800.451.0410 | F 412.781.7840 | www.forms-surfaces.com

FORMS+SURFACES®

© 2017 Forms+Surfaces® | All dimensions are nominal. Specifications and pricing subject to change without notice. For the most current version of this document, please refer to our website at www.forms-surfaces.com.



RECTANGULAR DOOR PULLS



PRODUCT DATA

DESIGN OPTIONS - SERIES 1500 (1511, 1512)

SERIES 1500 - 1" X 1.5" (25MM X 38MM); RECTANGULAR TUBULAR SECTIONS; STAINLESS STEEL, BRONZE AND BRASS																																	
<p style="text-align: center;">HDREC1511</p>	<p style="text-align: center;">HDREC1512</p>																																
<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>9" (229mm)</td> <td>10" (254mm)</td> </tr> <tr> <td>12" (305mm)</td> <td>13" (330mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>19" (483mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>25" (635mm)</td> </tr> <tr> <td>36" (914mm)</td> <td>37" (940mm)</td> </tr> <tr> <td>48" (1219mm)</td> <td>49" (1245mm)</td> </tr> <tr> <td>79" (2007mm)</td> <td>80" (2032mm)</td> </tr> </tbody> </table>	c.c.	oal	9" (229mm)	10" (254mm)	12" (305mm)	13" (330mm)	18" (457mm)	19" (483mm)	24" (610mm)	25" (635mm)	36" (914mm)	37" (940mm)	48" (1219mm)	49" (1245mm)	79" (2007mm)	80" (2032mm)	<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>9" (229mm)</td> <td>10.5" (267mm)</td> </tr> <tr> <td>12" (305mm)</td> <td>13.5" (343mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>19.5" (495mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>25.5" (648mm)</td> </tr> <tr> <td>36" (914mm)</td> <td>37.5" (952mm)</td> </tr> <tr> <td>48" (1219mm)</td> <td>49.5" (1257mm)</td> </tr> <tr> <td>79" (2007mm)</td> <td>80.5" (2045mm)</td> </tr> </tbody> </table>	c.c.	oal	9" (229mm)	10.5" (267mm)	12" (305mm)	13.5" (343mm)	18" (457mm)	19.5" (495mm)	24" (610mm)	25.5" (648mm)	36" (914mm)	37.5" (952mm)	48" (1219mm)	49.5" (1257mm)	79" (2007mm)	80.5" (2045mm)
c.c.	oal																																
9" (229mm)	10" (254mm)																																
12" (305mm)	13" (330mm)																																
18" (457mm)	19" (483mm)																																
24" (610mm)	25" (635mm)																																
36" (914mm)	37" (940mm)																																
48" (1219mm)	49" (1245mm)																																
79" (2007mm)	80" (2032mm)																																
c.c.	oal																																
9" (229mm)	10.5" (267mm)																																
12" (305mm)	13.5" (343mm)																																
18" (457mm)	19.5" (495mm)																																
24" (610mm)	25.5" (648mm)																																
36" (914mm)	37.5" (952mm)																																
48" (1219mm)	49.5" (1257mm)																																
79" (2007mm)	80.5" (2045mm)																																



RECTANGULAR DOOR PULLS



PRODUCT DATA

Series 1500 (Continued)

PRICING - SERIES 1500 (1511, 1512)

Pricing does not include freight. No additional charge for mounting hardware. All pricing is for single units, not pairs.

MODEL	STAINLESS STEEL	BRONZE	BRASS
HDREC1511 Straight, Returned Standoffs, 9" (229mm) c.c.	US32, US32D, SSS \$164	US9, US10, US10B \$246	US3, US4 \$246
HDREC1511 Straight, Returned Standoffs, 12" (305mm) c.c.	US32, US32D, SSS \$193	US9, US10, US10B \$289	US3, US4 \$289
HDREC1511 Straight, Returned Standoffs, 18" (457mm) c.c.	US32, US32D, SSS \$224	US9, US10, US10B \$336	US3, US4 \$336
HDREC1511 Straight, Returned Standoffs, 24" (610mm) c.c.	US32, US32D, SSS \$249	US9, US10, US10B \$373	US3, US4 \$373
HDREC1511 Straight, Returned Standoffs, 36" (914mm) c.c.	US32, US32D, SSS \$292	US9, US10, US10B \$438	US3, US4 \$438
HDREC1511 Straight, Returned Standoffs, 48" (1219mm) c.c.	US32, US32D, SSS \$342	US9, US10, US10B \$513	US3, US4 \$513
HDREC1511 Straight, Returned Standoffs, 79" (2007mm) c.c.	US32, US32D, SSS \$513	US9, US10, US10B \$769	US3, US4 \$769
HDREC1512 Straight, Returned Standoffs, 9" (229mm) c.c.	US32, US32D, SSS \$164	US9, US10, US10B \$246	US3, US4 \$246
HDREC1512 Straight, Returned Standoffs, 12" (305mm) c.c.	US32, US32D, SSS \$193	US9, US10, US10B \$289	US3, US4 \$289
HDREC1512 Straight, Returned Standoffs, 18" (457mm) c.c.	US32, US32D, SSS \$224	US9, US10, US10B \$336	US3, US4 \$336
HDREC1512 Straight, Returned Standoffs, 24" (610mm) c.c.	US32, US32D, SSS \$249	US9, US10, US10B \$373	US3, US4 \$373
HDREC1512 Straight, Returned Standoffs, 36" (914mm) c.c.	US32, US32D, SSS \$292	US9, US10, US10B \$438	US3, US4 \$438
HDREC1512 Straight, Returned Standoffs, 48" (1219mm) c.c.	US32, US32D, SSS \$342	US9, US10, US10B \$513	US3, US4 \$513
HDREC1512 Straight, Returned Standoffs, 79" (2007mm) c.c.	US32, US32D, SSS \$513	US9, US10, US10B \$769	US3, US4 \$769



RECTANGULAR DOOR PULLS



PRODUCT DATA

Series 1500 (Continued)

DESIGN OPTIONS - SERIES 1500 (1514, 1515, 1521)

SERIES 1500 - 1" X 1.5" (25MM X 38MM); RECTANGULAR TUBULAR SECTIONS; STAINLESS STEEL, BRONZE AND BRASS

c.c.	oal
12" (305mm)	18" (457mm)
18" (457mm)	24" (610mm)
24" (610mm)	30" (762mm)
36" (914mm)	42" (1067mm)
48" (1219mm)	54" (1372mm)
74" (1880mm)	80" (2032mm)
86" (2184mm)	92" (2337mm)

HDREC1514

c.c.	oal
12" (305mm)	18" (457mm)
18" (457mm)	24" (610mm)
24" (610mm)	30" (762mm)
36" (914mm)	42" (1067mm)
48" (1219mm)	54" (1372mm)
74" (1880mm)	80" (2032mm)
86" (2184mm)	92" (2337mm)

HDREC1515

c.c.	oal
12" (305mm)	13.5" (343mm)
18" (457mm)	19.5" (495mm)
24" (610mm)	25.5" (648mm)

HDREC1521



RECTANGULAR DOOR PULLS



PRODUCT DATA

Series 1500 (Continued)

PRICING - SERIES 1500 (1514, 1515, 1521)

Pricing does not include freight. No additional charge for mounting hardware. All pricing is for single units, not pairs.

MODEL	STAINLESS STEEL	BRONZE	BRASS
HDREC1514 Straight, Inboard Standoffs, 12" (305mm) c.c.	US32, US32D, SSS \$193	US9, US10, US10B \$289	US3, US4 \$289
HDREC1514 Straight, Inboard Standoffs, 18" (457mm) c.c.	US32, US32D, SSS \$224	US9, US10, US10B \$336	US3, US4 \$336
HDREC1514 Straight, Inboard Standoffs, 24" (610mm) c.c.	US32, US32D, SSS \$249	US9, US10, US10B \$373	US3, US4 \$373
HDREC1514 Straight, Inboard Standoffs, 36" (914mm) c.c.	US32, US32D, SSS \$292	US9, US10, US10B \$438	US3, US4 \$438
HDREC1514 Straight, Inboard Standoffs, 48" (1219mm) c.c.	US32, US32D, SSS \$342	US9, US10, US10B \$513	US3, US4 \$513
HDREC1514 Straight, Inboard Standoffs, 74" (1880mm) c.c.	US32, US32D, SSS \$513	US9, US10, US10B \$769	US3, US4 \$769
HDREC1514 Straight, Inboard Standoffs, 86" (2184mm) c.c.	US32, US32D, SSS \$541	US9, US10, US10B \$811	US3, US4 \$811
HDREC1515 Straight, Inboard Standoffs, 12" (305mm) c.c.	US32, US32D, SSS \$193	US9, US10, US10B \$289	US3, US4 \$289
HDREC1515 Straight, Inboard Standoffs, 18" (457mm) c.c.	US32, US32D, SSS \$224	US9, US10, US10B \$336	US3, US4 \$336
HDREC1515 Straight, Inboard Standoffs, 24" (610mm) c.c.	US32, US32D, SSS \$249	US9, US10, US10B \$373	US3, US4 \$373
HDREC1515 Straight, Inboard Standoffs, 36" (914mm) c.c.	US32, US32D, SSS \$292	US9, US10, US10B \$438	US3, US4 \$438
HDREC1515 Straight, Inboard Standoffs, 48" (1219mm) c.c.	US32, US32D, SSS \$342	US9, US10, US10B \$513	US3, US4 \$513
HDREC1515 Straight, Inboard Standoffs, 74" (1880mm) c.c.	US32, US32D, SSS \$513	US9, US10, US10B \$769	US3, US4 \$769
HDREC1515 Straight, Inboard Standoffs, 86" (2184mm) c.c.	US32, US32D, SSS \$541	US9, US10, US10B \$811	US3, US4 \$811
HDREC1521 Offset, 12" (305mm) c.c.	US32, US32D, SSS \$239	US9, US10, US10B \$358	US3, US4 \$358
HDREC1521 Offset, 18" (457mm) c.c.	US32, US32D, SSS \$275	US9, US10, US10B \$412	US3, US4 \$412
HDREC1521 Offset, 24" (610mm) c.c.	US32, US32D, SSS \$312	US9, US10, US10B \$469	US3, US4 \$469



RECTANGULAR DOOR PULLS



PRODUCT DATA

DESIGN OPTIONS - SERIES 2000 (2011, 2012)

SERIES 2000 - 1" X 2" (25MM X 51MM); RECTANGULAR TUBULAR SECTIONS; STAINLESS STEEL, BRONZE AND BRASS																																	
<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>9" (229mm)</td> <td>10" (254mm)</td> </tr> <tr> <td>12" (305mm)</td> <td>13" (330mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>19" (483mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>25" (635mm)</td> </tr> <tr> <td>36" (914mm)</td> <td>37" (940mm)</td> </tr> <tr> <td>48" (1219mm)</td> <td>49" (1245mm)</td> </tr> <tr> <td>79" (2007mm)</td> <td>80" (2032mm)</td> </tr> </tbody> </table>	c.c.	oal	9" (229mm)	10" (254mm)	12" (305mm)	13" (330mm)	18" (457mm)	19" (483mm)	24" (610mm)	25" (635mm)	36" (914mm)	37" (940mm)	48" (1219mm)	49" (1245mm)	79" (2007mm)	80" (2032mm)	<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>9" (229mm)</td> <td>11" (279mm)</td> </tr> <tr> <td>12" (305mm)</td> <td>14" (356mm)</td> </tr> <tr> <td>18" (457mm)</td> <td>20" (508mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>26" (660mm)</td> </tr> <tr> <td>36" (914mm)</td> <td>38" (965mm)</td> </tr> <tr> <td>48" (1219mm)</td> <td>50" (1270mm)</td> </tr> <tr> <td>79" (2007mm)</td> <td>81" (2057mm)</td> </tr> </tbody> </table>	c.c.	oal	9" (229mm)	11" (279mm)	12" (305mm)	14" (356mm)	18" (457mm)	20" (508mm)	24" (610mm)	26" (660mm)	36" (914mm)	38" (965mm)	48" (1219mm)	50" (1270mm)	79" (2007mm)	81" (2057mm)
c.c.	oal																																
9" (229mm)	10" (254mm)																																
12" (305mm)	13" (330mm)																																
18" (457mm)	19" (483mm)																																
24" (610mm)	25" (635mm)																																
36" (914mm)	37" (940mm)																																
48" (1219mm)	49" (1245mm)																																
79" (2007mm)	80" (2032mm)																																
c.c.	oal																																
9" (229mm)	11" (279mm)																																
12" (305mm)	14" (356mm)																																
18" (457mm)	20" (508mm)																																
24" (610mm)	26" (660mm)																																
36" (914mm)	38" (965mm)																																
48" (1219mm)	50" (1270mm)																																
79" (2007mm)	81" (2057mm)																																
<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>9" (229mm)</td> <td>10" (254mm)</td> </tr> </tbody> </table>	c.c.	oal	9" (229mm)	10" (254mm)	<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr> <td>9" (229mm)</td> <td>11" (279mm)</td> </tr> </tbody> </table>	c.c.	oal	9" (229mm)	11" (279mm)																								
c.c.	oal																																
9" (229mm)	10" (254mm)																																
c.c.	oal																																
9" (229mm)	11" (279mm)																																
<p>*HDREC2011</p>	<p>HDREC2012</p>																																
<p>*HDREC2011 is available as an ADA compliant handrail in our CabForms® and LEVELe™ elevator interiors. Please call or visit our website for more information.</p>																																	



RECTANGULAR DOOR PULLS



PRODUCT DATA

Series 2000 (Continued)

PRICING - SERIES 2000 (2011, 2012)

Pricing does not include freight. No additional charge for mounting hardware. All pricing is for single units, not pairs.

MODEL	STAINLESS STEEL	BRONZE	BRASS
HDREC2011 Straight, Returned Standoffs, 9" (229mm) c.c.	US32, US32D, SSS \$182	US9, US10, US10B \$273	US3, US4 \$273
HDREC2011 Straight, Returned Standoffs, 12" (305mm) c.c.	US32, US32D, SSS \$214	US9, US10, US10B \$321	US3, US4 \$321
HDREC2011 Straight, Returned Standoffs, 18" (457mm) c.c.	US32, US32D, SSS \$248	US9, US10, US10B \$373	US3, US4 \$373
HDREC2011 Straight, Returned Standoffs, 24" (610mm) c.c.	US32, US32D, SSS \$283	US9, US10, US10B \$425	US3, US4 \$425
HDREC2011 Straight, Returned Standoffs, 36" (914mm) c.c.	US32, US32D, SSS \$353	US9, US10, US10B \$529	US3, US4 \$529
HDREC2011 Straight, Returned Standoffs, 48" (1219mm) c.c.	US32, US32D, SSS \$422	US9, US10, US10B \$634	US3, US4 \$634
HDREC2011 Straight, Returned Standoffs, 79" (2007mm) c.c.	US32, US32D, SSS \$632	US9, US10, US10B \$948	US3, US4 \$948
HDREC2012 Straight, Returned Standoffs, 9" (229mm) c.c.	US32, US32D, SSS \$182	US9, US10, US10B \$273	US3, US4 \$273
HDREC2012 Straight, Returned Standoffs, 12" (305mm) c.c.	US32, US32D, SSS \$214	US9, US10, US10B \$321	US3, US4 \$321
HDREC2012 Straight, Returned Standoffs, 18" (457mm) c.c.	US32, US32D, SSS \$248	US9, US10, US10B \$373	US3, US4 \$373
HDREC2012 Straight, Returned Standoffs, 24" (610mm) c.c.	US32, US32D, SSS \$283	US9, US10, US10B \$425	US3, US4 \$425
HDREC2012 Straight, Returned Standoffs, 36" (914mm) c.c.	US32, US32D, SSS \$353	US9, US10, US10B \$529	US3, US4 \$529
HDREC2012 Straight, Returned Standoffs, 48" (1219mm) c.c.	US32, US32D, SSS \$422	US9, US10, US10B \$634	US3, US4 \$634
HDREC2012 Straight, Returned Standoffs, 79" (2007mm) c.c.	US32, US32D, SSS \$632	US9, US10, US10B \$948	US3, US4 \$948



RECTANGULAR DOOR PULLS



PRODUCT DATA

Series 2000 (Continued)

DESIGN OPTIONS - SERIES 2000 (2014, 2015, 2121, 2141)

SERIES 2000 - 1" X 2" (25MM X 51MM); RECTANGULAR TUBULAR SECTIONS; STAINLESS STEEL, BRONZE AND BRASS																																											
<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr><td>12" (305mm)</td><td>18" (457mm)</td></tr> <tr><td>18" (457mm)</td><td>24" (610mm)</td></tr> <tr><td>24" (610mm)</td><td>30" (762mm)</td></tr> <tr><td>36" (914mm)</td><td>42" (1067mm)</td></tr> <tr><td>48" (1219mm)</td><td>54" (1372mm)</td></tr> <tr><td>74" (1880mm)</td><td>80" (2032mm)</td></tr> <tr><td>86" (2184mm)</td><td>92" (2337mm)</td></tr> </tbody> </table>	c.c.	oal	12" (305mm)	18" (457mm)	18" (457mm)	24" (610mm)	24" (610mm)	30" (762mm)	36" (914mm)	42" (1067mm)	48" (1219mm)	54" (1372mm)	74" (1880mm)	80" (2032mm)	86" (2184mm)	92" (2337mm)	<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr><td>12" (305mm)</td><td>18" (457mm)</td></tr> <tr><td>18" (457mm)</td><td>24" (610mm)</td></tr> <tr><td>24" (610mm)</td><td>30" (762mm)</td></tr> <tr><td>36" (914mm)</td><td>42" (1067mm)</td></tr> <tr><td>48" (1219mm)</td><td>54" (1372mm)</td></tr> <tr><td>74" (1880mm)</td><td>80" (2032mm)</td></tr> <tr><td>86" (2184mm)</td><td>92" (2337mm)</td></tr> </tbody> </table>	c.c.	oal	12" (305mm)	18" (457mm)	18" (457mm)	24" (610mm)	24" (610mm)	30" (762mm)	36" (914mm)	42" (1067mm)	48" (1219mm)	54" (1372mm)	74" (1880mm)	80" (2032mm)	86" (2184mm)	92" (2337mm)	<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr><td>12" (305mm)</td><td>14" (356mm)</td></tr> <tr><td>18" (457mm)</td><td>20" (508mm)</td></tr> <tr><td>24" (610mm)</td><td>26" (660mm)</td></tr> </tbody> </table>	c.c.	oal	12" (305mm)	14" (356mm)	18" (457mm)	20" (508mm)	24" (610mm)	26" (660mm)	
c.c.	oal																																										
12" (305mm)	18" (457mm)																																										
18" (457mm)	24" (610mm)																																										
24" (610mm)	30" (762mm)																																										
36" (914mm)	42" (1067mm)																																										
48" (1219mm)	54" (1372mm)																																										
74" (1880mm)	80" (2032mm)																																										
86" (2184mm)	92" (2337mm)																																										
c.c.	oal																																										
12" (305mm)	18" (457mm)																																										
18" (457mm)	24" (610mm)																																										
24" (610mm)	30" (762mm)																																										
36" (914mm)	42" (1067mm)																																										
48" (1219mm)	54" (1372mm)																																										
74" (1880mm)	80" (2032mm)																																										
86" (2184mm)	92" (2337mm)																																										
c.c.	oal																																										
12" (305mm)	14" (356mm)																																										
18" (457mm)	20" (508mm)																																										
24" (610mm)	26" (660mm)																																										
*HDREC2014	HDREC2015	HDREC2021	HDREC2041																																								
<p>*HDREC2014 is available as an ADA compliant handrail in our CabForms® and LEVELe™ elevator interiors. Please call or visit our website for more information.</p>																																											



RECTANGULAR DOOR PULLS

PRODUCT DATA

Series 2000 (Continued)

PRICING - SERIES 2000 (2014, 2015, 2021, 2041)

Pricing does not include freight. No additional charge for mounting hardware. All pricing is for single units, not pairs.

MODEL	STAINLESS STEEL	BRONZE	BRASS
HDREC2014 Straight, Inboard Standoffs, 12" (305mm) c.c.	US32, US32D, SSS \$214	US9, US10, US10B \$321	US3, US4 \$321
HDREC2014 Straight, Inboard Standoffs, 18" (457mm) c.c.	US32, US32D, SSS \$248	US9, US10, US10B \$373	US3, US4 \$373
HDREC2014 Straight, Inboard Standoffs, 24" (610mm) c.c.	US32, US32D, SSS \$283	US9, US10, US10B \$425	US3, US4 \$425
HDREC2014 Straight, Inboard Standoffs, 36" (914mm) c.c.	US32, US32D, SSS \$353	US9, US10, US10B \$529	US3, US4 \$529
HDREC2014 Straight, Inboard Standoffs, 48" (1219mm) c.c.	US32, US32D, SSS \$422	US9, US10, US10B \$634	US3, US4 \$634
HDREC2014 Straight, Inboard Standoffs, 74" (1880mm) c.c.	US32, US32D, SSS \$632	US9, US10, US10B \$948	US3, US4 \$948
HDREC2014 Straight, Inboard Standoffs, 86" (2184mm) c.c.	US32, US32D, SSS \$669	US9, US10, US10B \$999	US3, US4 \$999
HDREC2015 Straight, Inboard Standoffs, 12" (305mm) c.c.	US32, US32D, SSS \$214	US9, US10, US10B \$321	US3, US4 \$321
HDREC2015 Straight, Inboard Standoffs, 18" (457mm) c.c.	US32, US32D, SSS \$248	US9, US10, US10B \$373	US3, US4 \$373
HDREC2015 Straight, Inboard Standoffs, 24" (610mm) c.c.	US32, US32D, SSS \$283	US9, US10, US10B \$425	US3, US4 \$425
HDREC2015 Straight, Inboard Standoffs, 36" (914mm) c.c.	US32, US32D, SSS \$353	US9, US10, US10B \$529	US3, US4 \$529
HDREC2015 Straight, Inboard Standoffs, 48" (1219mm) c.c.	US32, US32D, SSS \$422	US9, US10, US10B \$634	US3, US4 \$634
HDREC2015 Straight, Inboard Standoffs, 74" (1880mm) c.c.	US32, US32D, SSS \$632	US9, US10, US10B \$948	US3, US4 \$948
HDREC2015 Straight, Inboard Standoffs, 86" (2184mm) c.c.	US32, US32D, SSS \$669	US9, US10, US10B \$999	US3, US4 \$999
HDREC2021 Offset, 12" (305mm) c.c.	US32, US32D, SSS \$265	US9, US10, US10B \$397	US3, US4 \$397
HDREC2021 Offset, 18" (457mm) c.c.	US32, US32D, SSS \$307	US9, US10, US10B \$459	US3, US4 \$459
HDREC2021 Offset, 24" (610mm) c.c.	US32, US32D, SSS \$351	US9, US10, US10B \$527	US3, US4 \$527
HDREC2041 V-shape, 14" (356mm) c.c.	US32, US32D, SSS \$304	US9, US10, US10B \$457	US3, US4 \$457
DT1001 1" (25mm) End Cap <i>(compatible with HDREC2041 only)</i>	US32, US32D, SSS \$54	US9, US10, US10B \$54	US3, US4 \$54



RECTANGULAR DOOR PULLS



PRODUCT DATA

DESIGN OPTIONS - SERIES 2000L

SERIES 2000L - 1" X 2" (25MM X 51MM); RECTANGULAR TUBULAR SECTIONS W/ INTEGRAL DEADLOCK; STAINLESS STEEL, BRONZE AND BRASS			
	<p>HDREC2000L-A0N One single-mounted pull; no deadlock.</p>	<p>HDREC2000L-A2N One single-mounted pull; double cylinder deadlock.</p>	<p>HDREC2000L-A3N One single-mounted pull; single cylinder deadlock w/ key on exterior and thumb turn on interior.</p>
	<p>HDREC2000L-B0N Two pulls mounted back-to-back; no deadlock.</p>	<p>HDREC2000L-B2N Two pulls mounted back-to-back; double cylinder deadlock.</p>	<p>HDREC2000L-B3N Two pulls mounted back-to-back; single cylinder deadlock w/ key on exterior & thumb turn on interior.</p>
<p>HDREC2000L</p>			

PRICING - SERIES 2000L

Pricing does not include freight. No additional charge for mounting hardware. Unless otherwise noted, all pricing is for single units, not pairs.

MODEL	STAINLESS STEEL	BRONZE	BRASS
HDREC2000L-A0N One Single-Mounted Pull, No Deadlock, 21.5" (546mm) c.c.	US32, US32D, SSS \$502	US9, US10, US10B \$1,733	US3, US4 \$1,733
HDREC2000L-A2N One Single-Mounted Pull, Double Cylinder Deadlock, 21.5" (546mm) c.c.	US32, US32D, SSS \$966	US9, US10, US10B \$2,238	US3, US4 \$2,238
HDREC2000L-A3N One Single-Mounted Pull, Single Cylinder Deadlock with Exterior Key and Interior Thumb Turn, 21.5" (546mm) c.c.	US32, US32D, SSS \$966	US9, US10, US10B \$2,238	US3, US4 \$2,238
HDREC2000L-B0N Two Pulls Mounted Back-to-Back, No Deadlock, 21.5" (546mm) c.c.	US32, US32D, SSS \$1,004	US9, US10, US10B \$3,432	US3, US4 \$3,432
HDREC2000L-B2N Two Pulls Mounted Back-to-Back, Double Cylinder Deadlock, 21.5" (546mm) c.c.	US32, US32D, SSS \$1,454	US9, US10, US10B \$4,420	US3, US4 \$4,420
HDREC2000L-B3N Two Pulls Mounted Back-to-Back, Single Cylinder Deadlock with Exterior Key and Interior Thumb Turn, 21.5" (546mm) c.c.	US32, US32D, SSS \$1,454	US9, US10, US10B \$4,420	US3, US4 \$4,420

HOW TO SPECIFY:

Provide model number, quantity, metal and finish, mounting option, door material and thickness.