


TRANGO™ DOOR PULLS / HDTRN SERIES

PRODUCT DATA







PRODUCT DATA

Trango Door Pulls blend bold angularity with sensuous curves to make a dramatic design statement. Pulls are cast in solid stainless steel or bronze and are accentuated by a rich selection of finishes.

PRODUCT DETAILS

The following applies to all Trango Door Pull designs shown on page 2.

| MATERIAL & FIN | IISH | | MAINTENANCE | |
|-----------------|-------|----------------------------|---|--|
| Stainless Steel | US32 | Polished Stainless Steel | Trango Door Pulls are well-suited for interior or exterior use. Regular maintenance will help ensure the lasting beauty of each pull. | |
| | US32D | Satin Stainless Steel | | |
| | SSS | Stippled Stainless Steel | For more information, please refer to the Door Hardware Care & Maintenance document | |
| Bronze | US9 | Polished Bronze | found on our website. | |
| | US10 | Satin Bronze | | |
| | SBR | Stippled Bronze | | |
| | US10B | Oil-Rubbed Bronze | | |
| | S10 | Stippled Oil-Rubbed Bronze | | |

MOUNTING OPTIONS

Trango Door Pulls are installed using Mounting System "C" as shown below. To ensure a secure installation, a thread-locking adhesive such as Loctite[®] is recommended. For more information, refer to the Door Pull Installation Manual on our website.

MOUNTING SYSTEM "C"

| C1 | C2 | C3* | C4 | C5 |
|---|--|--|--|---|
| Single mount | Concealed single mount | Concealed single mount | Back-to-back mount | Back-to-back mount |
| Solid wood core or hollow metal door with through bolt. | Hollow metal door with shoulder bolt and customer's reinforcement. | Solid wood core door with shoulder bolt and threaded insert. | Solid wood core or hollow metal door with shoulder bolt. | Tempered glass door with shoulder bolt. |

*Forms+Surfaces offers but does not recommend concealed mounting on wood doors. Frequent or heavy use can compromise the integrity of this mounting.


HOW TO SPECIFY

Provide model number, center to center (c.c.) dimension, quantity, metal and finish, mounting option, and door material and thickness. Refer to the standalone Door Hardware Price List on our website for list pricing.



DESIGN OPTIONS

PRODUCT DATA



T 1.800.451.0410 | F 412.385.4715 | www.forms-surfaces.com

FORMS+SURFACES®

© 2023 Forms+Surfaces® | All dimensions are nominal. Specifications and pricing subject to change without notice. For the most current version of this document, please refer to our website at www.forms-surfaces.com.