

UNIVERSAL PLANTER

PRODUCT DATA





PRODUCT DATA

The **Universal Planter** offers the beauty and performance of stainless steel, while remaining remarkably affordable. Stainless steel's natural finish provides aesthetic appeal and simplifies maintenance. For settings where color is appropriate, Universal Planters are unique in offering powdercoat colors applied over the same corrosion-resistant stainless steel used on uncoated versions. Their versatility makes them a premier choice for airports, malls, educational institutions, health care facilities, corporate buildings, entertainment venues, and other public spaces.

MATERIAL & CONSTRUCTION DETAILS


INSTALLATION & MAINTENANCE


| CONSTRUCTION | BODY FINISHES | INSTALLATION | |
|--|--|---|--|
| Body and internal structure are both made entirely of stainless steel. Concrete bases are 3.25" thick (2.5" visible) and are projected in Black Sand color. | Planter comes in three standard stainless steel finishes, Sandstone, Diamond, and Satin, or can be powdercoated. See the Forms+Surfaces Powdercoat Chart for standard and color options. Custom RAL colors are available for an upcharge. | 30 gallon Universal Planters may be used freestanding with or without adjustable stainless steel levelers & nylon feet, freestanding with concrete base, or surface mounted directly to substrate or with concrete base. | |
| available in Black Sand color. | | • 100- & 190-gallon Universal Planters may be used | |
| Drip pans included for 100- & 190-gallon planters. | | freestanding without levelers or surface mounted directly to substrate. | |
| | | Surface mount includes levelers. Stainless steel mounting hardware sold separately. | |
| LINERS | BODY PATTERNS | MAINTENANCE | |
| Universal Planters use independent, replaceable internal liners. | Optional body patterns are available for an upcharge; see below for standard patterns options. | Surfaces can be cleaned as needed using soft cloth or brush with warm water and a mild detergent. Avoid abrasive cleaners. | |
| Liners are molded from durable black polyethylene with a UL94HB fire rating. | Eco-Etch designs are applied using an advanced photolithographic bead-blasting system. | | |
| | Perforations offer a unique design. | | |

BODY PATTERN OPTIONS


Eco-Etch patterns are available for planters with Stainless Steel Satin finish only. Perforation patterns are available on both Stainless Steel and powdercoat finishes.


HORIZON ECO-ETCH PATTERN





FADE PERFORATION PATTERN





100 & 190 GALLON

30 GALLON



PRODUCT DATA

NOMINAL DIMENSIONS

| MODEL | CAPACITY | DIAMETER | HEIGHT* | WEIGHT** |
|-----------|--------------------------|---------------|-----------------|--------------------|
| SNUNI-30 | 30 gallons (114 liters) | 23" (584 mm) | 21.75" (552 mm) | 53 lbs (24.04 kg) |
| SNUNI-100 | 100 gallons (379 liters) | 36" (914 mm) | 28.5" (724 mm) | 101 lbs (45.81 kg) |
| SNUNI-190 | 190 gallons (719 liters) | 48" (1219 mm) | 34.5" (876 mm) | 144 lbs (65.32 kg) |

^{*}The height for the 30-gallon model is for the freestanding version with adjustable levelers. Optional concrete bases add approximately 1.75" to the overall height. The height for the 100-gallon and 190-gallon planters are for units resting directly on the substrate. Levelers and concrete bases are not available for these models.

** Weight includes liner.

ENVIRONMENTAL CONSIDERATIONS

- Please refer to the Universal Planter Environmental Data Sheet for detailed environmental impact information.
- · Universal Planters have a high recycled content.
- All components are fully recyclable.
- Stainless steel construction ensures a long product life cycle.
- Standard powdercoat finishes are no-VOC; non-standard powdercoat finishes are no- or low-VOC, depending on color.
- Low maintenance.

MODEL NUMBERS AND DESCRIPTIONS

| MODEL | DESCRIPTION | |
|-----------|--|--|
| SNUNI-30 | 30-gallon planter, stainless steel finish; levelers, surface mount, or concrete base | |
| SNUNI-100 | 100-gallon planter, stainless steel finish; levelers or surface mount | |
| SNUNI-190 | 190-gallon planter, stainless steel finish; levelers or surface mount | |

PRODUCT OPTIONS

The following option is available for an upcharge

| Add standard body pattern | Powdercoat color from F+S Powdercoat Chart |
|-----------------------------------|--|
| Stainless steel mounting hardware | Custom RAL powdercoat |

LEAD TIME: 6 to 8 weeks. Shorter lead times may be available upon request. Please contact us to discuss your specific timing requirements.

PRICING: Please contact us at 800.451.0410 or sales@forms-surfaces.com. At Forms+Surfaces, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Territory Managers are located worldwide to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

TO ORDER SPECIFY: Quantity, model, body finish, body pattern, and liner(s) with or without drain holes. Quote/Order Forms are available on our website to lead you through the specification process in a simple checkbox format.

NOTE: Because different computers will render colors and textures differently, actual colors and finishes may vary from those shown here.

