

PROJECT NAME: _____ DATE: _____

JOB LOCATION: _____ SPECIFIER: _____

PLEASE USE ADOBE READER OR ADOBE ACROBAT TO FILL OUT AND SAVE FORM. USING OTHER PROGRAMS COULD RESULT IN UNSAVED DATA.

APPLICATIONS

If you select a Forms+Surfaces System, please skip the Installation Type, Project Details, Lite Descriptions and Glass Characteristics sections.

Forms+Surfaces Systems

Glass Doors

Other Applications*

Loose Lite(s)

Other _____

*For Other Applications, please fill out all sections.

INSTALLATION TYPE

Captured Top & Bottom Only Fully Framed Mounted to a Solid Substrate Curtain Wall/IGU Post Mounted with Holes Water Feature

PROJECT DETAILS

Please choose **one** option from each category.

Environment

- Interior, Standard Humidity
- Interior, High Humidity
- Exterior, Exposed Setting
- Exterior, Covered Setting

Lighting Conditions

- Natural
- Backlit
- Spotlight
- Other (please provide details): _____

Glass Thickness

- 1/4" (6 mm)
- 3/8" (10 mm)
- 1/2" (12 mm)
- 3/4" (19 mm)

LITE DESCRIPTION

Description (include part number, if available)	Quantity	Size (width x height)
_____	_____	_____
_____	_____	_____
_____	_____	_____

GLASS CHARACTERISTICS

Please choose **one** option from each category.

Safety Standards

- Monolithic and Tempered*
- Laminated and Annealed
- Laminated and Tempered

Glass Type

- Clear
- Low Iron

Profile

- Flat
- Curved (please attach drawing)

Surface Treatment Options (if desired)**

Backcoated

- Transparent
- Frosted
- Opaque

Color: _____

Sandblasted

Sandblasted % _____

*Tempering is required for load bearing holes and cutouts.

**Backcoating & sandblasting can be selected together. If no surface treatment is desired, skip this category.

Please note: Available thicknesses vary by texture. Some textures cannot be laminated. Please consult the Product Data Sheet or call for details.

PROCESSING REQUIREMENTS

Please choose all options that apply and provide detail as needed; if yes, please attach drawing.

Kiln Polished Edges	<input type="checkbox"/> Top	<input type="checkbox"/> Bottom	<input type="checkbox"/> Left Side	<input type="checkbox"/> Right Side	Flanges**	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Flat Machine Polished Edges	<input type="checkbox"/> Top	<input type="checkbox"/> Bottom	<input type="checkbox"/> Left Side	<input type="checkbox"/> Right Side	Flanges Location	<input type="checkbox"/> Vertical	<input type="checkbox"/> Horizontal
Notches*	<input type="checkbox"/> Yes	<input type="checkbox"/> No	_____				
Internal Cutouts*	<input type="checkbox"/> Yes	<input type="checkbox"/> No	_____				
Pattern Cuts*	<input type="checkbox"/> Yes	<input type="checkbox"/> No	_____				
Tempering Decal*	<input type="checkbox"/> Yes	<input type="checkbox"/> No	_____				
Holes*	<input type="checkbox"/> Yes	<input type="checkbox"/> No	_____				

*If yes for any of the above options, please attach drawing

**Not all textures are available with flanges. Please contact us for details on texture availability.

HARDWARE OPTIONS

Please choose all desired options and provide detail as needed.

Slot Mount Standoff

Finish				Quantity: _____
<input type="checkbox"/> Polished Brass	<input type="checkbox"/> Polished Chrome	<input type="checkbox"/> Satin Chrome		Comments: _____
<input type="checkbox"/> Polished Gun Metal	<input type="checkbox"/> Satin Stainless Steel			

Edge Grip Standoff

Finish				Quantity: _____
<input type="checkbox"/> Polished Brass	<input type="checkbox"/> Polished Chrome	<input type="checkbox"/> Satin Chrome		Comments: _____
<input type="checkbox"/> Polished Gun Metal	<input type="checkbox"/> Satin Stainless Steel			

Round Standoff

Standoff Base Length	Finish			
<input type="checkbox"/> 1/4" (6.3 mm)	<input type="checkbox"/> 1/2" (12.7 mm)	<input type="checkbox"/> Polished Brass	<input type="checkbox"/> Polished Stainless Steel	<input type="checkbox"/> Satin Chrome
<input type="checkbox"/> 3/4" (19.1 mm)	<input type="checkbox"/> 1" (25.4 mm)	<input type="checkbox"/> Polished Gun Metal	<input type="checkbox"/> Satin Stainless Steel	<input type="checkbox"/> Polished Chrome
<input type="checkbox"/> 1-1/2" (38.1 mm)	<input type="checkbox"/> 2" (50.8 mm)	Quantity: _____		
<input type="checkbox"/> 4" (101.6 mm)	<input type="checkbox"/> 6" (152.4 mm)	Comments: _____		

Spider Fitting

Configuration	Finish			
<input type="checkbox"/> 1-Arm	<input type="checkbox"/> 3-Arm	<input type="checkbox"/> Polished Stainless Steel	<input type="checkbox"/> Satin Stainless Steel	
<input type="checkbox"/> 2-Arm	<input type="checkbox"/> 4-Arm	Quantity: _____		
Comments: _____				

Square Mall Clamp

Finish				Quantity: _____
<input type="checkbox"/> Polished Brass	<input type="checkbox"/> Polished Stainless Steel	<input type="checkbox"/> Satin Stainless Steel		Comments: _____


Tapered Rail

Finish				Quantity: _____
<input type="checkbox"/> Polished Brass	<input type="checkbox"/> Satin Stainless Steel	<input type="checkbox"/> Black Bronze Anodized		Length: _____
<input type="checkbox"/> Polished Stainless Steel	<input type="checkbox"/> Satin Anodized	<input type="checkbox"/> Black Powdercoat		
Comments: _____				


STANDARD TEXTURES

Please choose **one** texture option below.

Atlantis




Boards*




Bricks*




Grande Rake




Hikaru




Nuv'eau




On-Wa



Pietra




Plank



*Note these textures **may** require flanges for installation within a channel or frame.


Rake




Spruzzo




Strata



Tanami



Valencia



Please send completed forms to sales@forms-surfaces.com or contact us at 800.451.0410 with any questions.

NOTES
