

PROJECT NAME: _____ DATE: _____

JOB LOCATION: _____ SPECIFIER: _____

PLEASE USE ADOBE READER OR ADOBE ACROBAT TO FILL OUT AND SAVE FORM. USING OTHER PROGRAMS COULD RESULT IN UNSAVED DATA.

APPLICATION

Applications

- Partition Water Feature Other _____
 Loose Lite(s) Railing Infill

PROJECT DETAILS

Please choose **one** option from each category.

Environment

- Interior, Standard Humidity
 Interior, High Humidity
 Exterior, Exposed Setting
 Exterior, Covered Setting

Lighting Conditions

- Natural
 Backlit
 Spotlight
 Other (please provide details): _____

Glass Edges

- Framed Edges
 Open Edges

LITE DESCRIPTION

Description	Quantity	Size
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

GLASS CHARACTERISTICS

Please choose **one** option for each category.

Glass Thickness

- 1/4" (6 mm)
 3/8" (10 mm)
 1/2" (12 mm)
 5/8" (15 mm)
 3/4" (19 mm)

Glass Type

- Clear
 Low Iron

Profile

- Flat
 Curved (please attach drawing)

Safety Standards

- Tempered*
 Laminated
 Tempered and Laminated
 Not Tempered or Laminated

*Tempering is required for load bearing holes and cutouts

Surface Treatment Options (if desired)**

Backcoated

- Transparent Frosted Opaque
 Color: _____

Sandblasted

- Sandblasted % _____

**Backcoating & sandblasting can be selected together. If no surface treatment is desired, skip this category.

Please note: Available thicknesses vary by texture. Some textures cannot be laminated. Please consult the Product Data Sheet or call for details.

PROCESSING

Please choose all options that apply and provide detail as needed.

- | | | | |
|-----------------------------|------------------------------|-----------------------------|--|
| Kiln Polished Edges | <input type="checkbox"/> Yes | <input type="checkbox"/> No | If no, another edge condition must be specified. |
| Flat Machine Polished Edges | <input type="checkbox"/> Yes | <input type="checkbox"/> No | If no, another edge condition must be specified. |
| Arris Edges | <input type="checkbox"/> Yes | <input type="checkbox"/> No | If no, another edge condition must be specified. |
| Notches | <input type="checkbox"/> Yes | <input type="checkbox"/> No | If yes, please attach drawing. |
| Shape Cuts | <input type="checkbox"/> Yes | <input type="checkbox"/> No | If yes, please attach drawing. |
| Flanges*** | <input type="checkbox"/> Yes | <input type="checkbox"/> No | If yes, please attach drawing. |
| Tempering Decal | <input type="checkbox"/> Yes | <input type="checkbox"/> No | If yes, please attach drawing. |
| Holes | <input type="checkbox"/> Yes | <input type="checkbox"/> No | If yes, please provide quantity: _____ |

*** Not all textures are available with flanges, please contact your representative for details on texture availability.

HARDWARE OPTIONS

Please choose all desired options and provide detail as needed.

Slot Mount Standoff

Finish

Polished Brass
 Polished Chrome
 Satin Chrome
 Quantity: _____
 Polished Gun Metal
 Satin Stainless Steel
 Glass Thickness: _____
 Comments: _____

Edge Grip Standoff

Finish

Polished Brass
 Polished Chrome
 Satin Chrome
 Quantity: _____
 Polished Gun Metal
 Satin Stainless Steel
 Glass Thickness: _____
 Comments: _____

Round Standoff

Standoff Base Length

1/4" (6.3mm)
 1/2" (12.7 mm)
 Finish
 Polished Brass
 Polished Stainless Steel
 Satin Chrome
 3/4" (19.1 mm)
 1" (25.4 mm)
 Polished Gun Metal
 Satin Stainless Steel
 Polished Chrome
 1-1/2" (38.1 mm)
 2" (50.8 mm)
 Glass Thickness: _____
 Quantity: _____
 4" (101.6 mm)
 6" (152.4 mm)
 Comments: _____

Spider Fitting

Configuration

1-Arm
 3-Arm
 Finish
 Polished Stainless Steel
 Satin Stainless Steel
 2-Arm
 4-Arm
 Glass Thickness: _____
 Quantity: _____
 Comments: _____

Square Mall Clamp

Finish

Polished Brass
 Polished Stainless Steel
 Satin Stainless Steel
 Quantity: _____
 Glass Thickness: _____
 Comments: _____

Tapered Rail

Finish

Polished Brass
 Satin Stainless Steel
 Black Bronze Anodized
 Quantity: _____
 Polished Stainless Steel
 Satin Anodized
 Black Powdercoat
 Glass Thickness: _____
 Length: _____
 Comments: _____

STANDARD TEXTURES

Please choose **one** texture option below.

Corduroy



Corrugated



Lanto



Monato



Sticks



Taglio



Trio



Please send completed forms to sales@forms-surfaces.com or contact us at 800.451.0410 with any questions.