

PROJECT NAME: _____

DATE: _____

JOB LOCATION: _____

SPECIFIER: _____

PLEASE USE ADOBE READER OR ADOBE ACROBAT TO FILL OUT AND SAVE THIS FORM. USING OTHER PROGRAMS COULD RESULT IN UNSAVED DATA.

GENERAL INFORMATION

Please choose **one** option from each category

Application

- Residential
- Commercial

Location

- Interior
- Exterior

Configuration

- Single
- Pair

STANDARD DOOR SIZES

Please choose **one** size option from either the Single Door list or Pair of Doors list.

Single Door

Nominal Door Opening: (size per leaf)	Finished Frame Opening: (single door)	Rough Opening: ¹ (single door)	Finished Door: ² (size per leaf)
<input type="checkbox"/> 3'0" x 6'8"	3'0" x 6'8"	3'4-1/2" x 6'10-1/4"	2'11-3/4" x 6'7-5/8" x 1-13/16"
<input type="checkbox"/> 3'0" x 7'0"	3'0" x 7'0"	3'4-1/2" x 7'2-1/4"	2'11-3/4" x 6'11-5/8" x 1-13/16"
<input type="checkbox"/> 3'0" x 8'0"	3'0" x 7'10"	3'4-1/2" x 8'0-1/4"	2'11-3/4" x 7'9-5/8" x 1-13/16"
<input type="checkbox"/> 3'6" x 7'0"	3'6" x 7'0"	3'10-1/2" x 7'2-1/4"	3'5-3/4" x 6'11-5/8" x 1-13/16"
<input type="checkbox"/> 3'6" x 10'0"	3'6" x 9'10-3/8"	3'10-1/2" x 10'0-5/8"	3'5-3/4" x 9'10" x 2-5/16"
<input type="checkbox"/> 4'0" x 8'0"	3'10" x 7'10"	4'2-1/2" x 8'0-1/4"	3'9-3/4" x 7'9-5/8" x 1-13/16"
<input type="checkbox"/> Custom Size ³			

Pair of Doors

Nominal Door Opening: (size per leaf)	Finished Frame Opening: (pair of doors)	Rough Opening: ¹ (pair of doors)	Finished Door: ² (size per leaf)
<input type="checkbox"/> 3'0" x 6'8"	5'11-15/16" x 6'8"	6'4-7/16" x 6'10-1/4"	2'11-3/4" x 6'7-5/8" x 1-13/16"
<input type="checkbox"/> 3'0" x 7'0"	5'11-15/16" x 7'0"	6'4-7/16" x 7'2-1/4"	2'11-3/4" x 6'11-5/8" x 1-13/16"
<input type="checkbox"/> 3'0" x 8'0"	5'11-15/16" x 7'10"	6'4-7/16" x 8'0-1/4"	2'11-3/4" x 7'9-5/8" x 1-13/16"
<input type="checkbox"/> 3'6" x 7'0"	6'11-15/16" x 7'0"	7'4-7/16" x 7'2-1/4"	3'5-3/4" x 6'11-5/8" x 1-13/16"
<input type="checkbox"/> 3'6" x 8'0"	6'11-15/16" x 7'10"	7'4-7/16" x 8'0-1/4"	3'5-3/4" x 7'9-5/8" x 1-13/16"
<input type="checkbox"/> 3'6" x 10'0"	6'11-15/16" x 9'10-3/8"	7'4-7/16" x 10'0-5/8"	3'5-3/4" x 9'10" x 2-5/16"
<input type="checkbox"/> 4'0" x 8'0"	7'7-15/16" x 7'10"	8'0-7/16" x 8'0-1/4"	3'9-3/4" x 7'9-5/8" x 1-13/16"
<input type="checkbox"/> Custom Size ³			

¹ Sizes shown indicate the recommended rough opening size to facilitate installation of standard F+S designs and door sizes. Actual rough opening sizes may vary and may affect standard sizing and pricing.

² Application of thresholds may necessitate a different finished door size than those shown. Door thickness increases to 2-1/4" on doors under 9' 0" when walnut edge is used.

³ Custom door sizes are available by special order. For some door configurations, fire or other performance ratings may impose limitations on door and frame sizes. Please call to confirm available sizes for your particular application.

DOOR CONFIGURATION

Glass Selection

Glass Doors are available with leafs of VividGlass and CastGlass. More details are available on our website. Please complete a Design Guide for your selected glass.

VividGlass

- ViviChrome Chromis
- ViviChrome Scribe
- ViviChrome Metallic
- ViviGraphix Gradiance
- ViviGraphix Graphica
- ViviSpectra Elements
- ViviSpectra Spectrum
- ViviSpectra VEKTR
- ViviSpectra Zoom
- ViviStone Abalone Onyx
- ViviStone Cream Onyx
- ViviStone Honey Onyx

- ViviStone Opal Onyx
- ViviStone Pearl Onyx
- ViviStone White Onyx
- ViviStrata Layers
- ViviStrata Monolithic
- ViviTela Loom
- ViviTela Mesh
- ViviTela Shibori

CastGlass Monolithic

- Classic Atlantis
- Classic Grande Rake
- Classic Hikaru
- Classic Nuv'eau
- Classic On-Wa
- Classic Pietra
- Classic Plank
- Classic Rake
- Classic Spruzzo
- Classic Strata
- Classic Tanami
- Classic Valencia
- Intervals Coda
- Intervals Locus
- Intervals Octave
- Intervals Origin
- Intervals Prose
- Intervals Verse
- Profile Chase 12
- Profile Chase 25
- Profile Corduroy

Quantity (number of leafs): _____

INTEGRATED HARDWARE

Forms+Surfaces Glass Doors come supplied with the following integrated hardware: Overhead concealing closer, bottom pivot, and bottom rail lock with dust proof strike.

Rail Options

Please specify rail options below.

- Rail Profile Type: Square Beveled
- Rail Cladding: Mirror Stainless Steel Satin Stainless Steel
 Oil-Rubbed Bronze Polished Brass
- Rail Lock Type: Thumb Turn Double Cylinder

DOOR FRAME DETAILS

Door Frame


If needed, please complete a Door Frame Design Guide.

Door Frame: Yes No, will use existing frame

Door Swing

Please select **one** Door Swing option.

- Single Door: LH RH
 LHR RHR
- Pair of Doors: LH / RH LHR / RHR
 LH fixed / RH LH / RH fixed
 LHR fixed / RHR LHR / RHR fixed



SUGGESTED HARDWARE

Threshold

<input type="checkbox"/> Supply Only
<input type="checkbox"/> None



<input type="checkbox"/> Pemko 172A with 184AT stop strip	Finish: _____
<input type="checkbox"/> Other (specify)	Make: _____
	Model: _____
	Finish: _____

Suggested hardware represents selections that best suit Forms+Surfaces® door products. Suggested hardware may be subject to substitution by a different brand name product of equal quality and functionality.

Hardware listed above represents suggested use only. Purchasing parties are wholly responsible for verifying that all hardware selections are appropriate and correct in all respects for their intended applications.