

PROJECT NAME: \_\_\_\_\_

DATE: \_\_\_\_\_

JOB LOCATION: \_\_\_\_\_

COMPANY: \_\_\_\_\_

QUANTITY OF INFORMATION KIOSKS IN THIS CONFIGURATION: \_\_\_\_\_

**MOUNTING & INSTALLATION**

**Mounting / Installation:** Please select **one** main option below and follow that option's instructions for specific foot assembly selection.

**Floor-mounted** (Please select **one** floor-foot assembly option below).

**Floor-foot assembly:**

- Fixed foot
- Reinforced foot

**Floor-to-ceiling** (Please select **one** floor-foot assembly option and **one** ceiling-foot assembly option below).

**Floor-foot assembly:**

**Ceiling-foot assembly**

- |  |  |
|--|--|
| <input type="checkbox"/> Adjustable foot | <input type="checkbox"/> Adjustable foot |
| <input type="checkbox"/> Fixed foot      | <input type="checkbox"/> Fixed foot      |
| <input type="checkbox"/> Reinforced foot |  |

**Mobile unit with 32" diameter base plate**

**Overall Information Kiosk height:** \_\_\_\_\_ feet \_\_\_\_\_ inches

For floor-mounted or mobile units, measure from finished floor to top of mast.

For floor-to-ceiling mounting, measure from finished floor to finished ceiling.

NOTE: Heights up to 10 feet may be specified as standard. Taller heights are available upon request.

**Floor substrate:**  Concrete  Wood  Other: \_\_\_\_\_

**Ceiling construction:**  Concrete  Trusswork  Drop ceiling/plaster  Other: \_\_\_\_\_

Required floor-to-ceiling mounting only.

Information Kiosk mounting components can be installed directly into concrete ceiling or structural trusswork.

Drop ceilings, plaster, or non-structural materials will require additional structural support to be provided by contractor.

**Power/data cable feed entrance:**  None  Floor  Ceiling  Wall

**MOUNTABLE COMPONENTS**

**Sign panels**

Please select quantity of each size and also select bracket and panel mounting orientation for each.

<b>Quantity:</b>	<b>Bracket orientation:</b>	<b>Panel mounting orientation:</b>
_____ 8.5" x 5.5"	<input type="checkbox"/> 90° <input type="checkbox"/> 180°	<input type="checkbox"/> Portrait <input type="checkbox"/> Landscape
_____ 8.5" x 11"	<input type="checkbox"/> 90° <input type="checkbox"/> 180°	<input type="checkbox"/> Portrait <input type="checkbox"/> Landscape
_____ 8.5" x 14"	<input type="checkbox"/> 90° <input type="checkbox"/> 180°	<input type="checkbox"/> Portrait
_____ 11" x 17"	<input type="checkbox"/> 90° <input type="checkbox"/> 180°	<input type="checkbox"/> Portrait
_____ Other: _____	<input type="checkbox"/> 90° <input type="checkbox"/> 180°	<input type="checkbox"/> Portrait <input type="checkbox"/> Landscape

**LCD monitors:**    **Quantity:** \_\_\_\_\_    **Size\*:** \_\_\_\_\_  
**Quantity:** \_\_\_\_\_    **Size\*:** \_\_\_\_\_

One (1) monitor mounting assembly with VESA® compatible bracket and an adjuster plate will be provided for each monitor. Monitor is not included. Monitor specifications are required.

\*NOTE: If monitor width is wider than 24", please use the Profile One Dual Mast Quote/Order Form.

**Semi-circular table tops:**

Please select quantity, material/finish, and mounting height.

<b>Quantity:</b>	<b>Material/Finish:</b>	<b>Mounting height (from floor):</b>
<input type="checkbox"/> None	<input type="checkbox"/> .75" thick clear tempered glass	<input type="checkbox"/> 43" - standing height
<input type="checkbox"/> One (half-circle)	<input type="checkbox"/> 1" thick maple wood with clear polyurethane finish	<input type="checkbox"/> 39" - bar height
<input type="checkbox"/> Two (full-circle)	<input type="checkbox"/> 1" thick maple wood without finish	<input type="checkbox"/> 29" - chair height (ADA)

**Computer enclosures:**

**Quantity:**

None

One

Two

**CPU size:**    **Height:** \_\_\_\_\_    **Width:** \_\_\_\_\_    **Depth:** \_\_\_\_\_

Standard size is 20.25" x 16.25" x 7.5" and fits a maximum CPU size of 18.75" x 15.875" x 5.75".  
 Customer to verify dimensions of selected CPU to determine if the standard CPU enclosure is adequate.

